

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	Jan., 2001	65+ years	930912-1	Diarrhea followed by death 24 hrs after vaccination
COVID19 VACCINE (COVID19)	Dec., 2020	1-2 years	958443-1	death by suicide Narrative: death by suicide; 12/26/20, self inflicted gun shot wound; found deceased by family member
COVID19 VACCINE (COVID19)	Dec., 2020	40-49 years	939270-1	Sudden cardiac death
COVID19 VACCINE (COVID19)	Dec., 2020	50-59 years	918518-1	syncopal episode - arrested - CPR - death
COVID19 VACCINE (COVID19)	Dec., 2020	60-64 years	914805-1	RESIDENT CODED AND EXPIRED
COVID19 VACCINE (COVID19)	Dec., 2020	60-64 years	914917-1	Death by massive heart attack. Pfizer-BioNTech COVID-19 Vaccine EUA
COVID19 VACCINE (COVID19)	Dec., 2020	60-64 years	932898-1	The patient had an apparent cardiac arrest on 12/23/20 and was admitted to the ICU. He was taken off of life support on 12/30/20. He had known cardiac disease.
COVID19 VACCINE (COVID19)	Dec., 2020	60-64 years	964629-1	Death - Hospice patient with metastatic CA admitted to facility and received vaccine during stay. No adverse sequelae noted from vaccine administration, but reported administered by protocol without complications. The patient had been asked and denied any prior severe reaction to this vaccine or its components and gave permission to underlying terminal illness.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	909095-1	on 12/24/2020 the resident was sleepy and stayed in bed most of the shift. He stated he was doing okay but requested pain medication for his legs at 250PM. At 25
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	910363-1	Patient had mild hypotension, decreased oral intake, somnolence starting 3 days after vaccination and death 5 days after administration. He did have advanced demen
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	913143-1	Vaccine administered with no immediate adverse reaction at 11:29am. Vaccine screening questions were completed and resident was not feeling sick and temperatur
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	913733-1	My grandmother died a few hours after receiving the moderna covid vaccine booster 1. While I don't expect that the events are related, the treating hospital did not
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	914604-1	Spouse awoke 12/20 and found spouse dead. Client was not transferred to hospital.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	914621-1	Resident in our long term care facility who received first dose of Moderna COVID-19 Vaccine on 12/22/2020, only documented side effect was mild fatigue after recei
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	914690-1	Within 24 hours of receiving the vaccine, fever and respiratory distress, and anxiety developed requiring oxygen, morphine and ativan. My Mom passed away on the
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	914895-1	Injection given on 12/28/20 - no adverse events and no issues yesterday; Death today, 12/30/20, approx.. 2am today (unknown if related - Administrator marked a:
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	914961-1	pt passed away with an hour to hour and 1/2 of receiving vaccine. per nursing home staff they did not expect pt to make it many more days. pt was unresponsive in
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	914994-1	pt was a nursing home pt. pt received first dose of covid vaccine. pt was monitored for 15 minutes after getting shot. staff reported that pt was 15 days post covid. F
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	915562-1	pt received vaccine at covid clinic on 12/30 at approximately 3:30, pt vomited 4 minutes after receiving shot--dark brown vomit, staff reported pt had vomited night
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	915682-1	Resident received vaccine per pharmacy at the facility at 5 pm. Approximately 6:45 resident found unresponsive and EMS contacted. Upon EMS arrival at facility, res
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	915880-1	Patient died within 12 hours of receiving the vaccine.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	915920-1	Resident received vaccine in am and expired that afternoon.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	922977-1	Fever, RespDepression & COVID positive REMDESIVIR (EUA) 200 mg x1 then 100 mg daily
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	944365-1	Resident expired on 12/30/20, dx cardiac arrest.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	952204-1	Patient became sick 3 hours after the vaccine and was found deceased 1 day after his vaccination. He passed away in his sleep.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	953922-1	The day following the vaccine, the patient complained of throat issues and anxiety. This was not new... however . That evening he reported difficulty breathing and w
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	956903-1	mi Narrative: patient with asymptomatic covid 19, covid positive 12/10/2020.
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	956966-1	hypoxia, secretions,cough, dyspnea Narrative: ALS patient on hospice with ongoing history of aspiration pneumonia, receiving tube feeds. Developed incr in secretions, hypc
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	962764-1	Patient did not have any adverse reaction to the COVID vaccine, but we were asked by our health dept to submit a VAERS report since the patient died between his f
COVID19 VACCINE (COVID19)	Dec., 2020	65+ years	964636-1	Pt on hospice in facility for severe cardiomyopathy unable to perform interventions received vaccine without adverse sequelae died 5 days later. Reporting as required
COVID19 VACCINE (COVID19)	Dec., 2020	Unknown	963902-1	Death; This is a spontaneous report from four non-contactable consumers via a Pfizer-sponsored program Corporate (Pfizer) Social Media Platforms. A 78-year-old m
COVID19 VACCINE (COVID19)	Jan., 2021	18-29 years	936805-1	Patient received the vaccine on 12/22/20 without complication. It was reported today that the patient was found unresponsive and subsequently expired at home on
COVID19 VACCINE (COVID19)	Jan., 2021	18-29 years	943397-1	On day due for 2nd dose, Patient was found unresponsive at work in the hospital. Patient pupils were fixed and dilated. Full ACLS was initiated for 55 minutes with m
COVID19 VACCINE (COVID19)	Jan., 2021	18-29 years	960841-1	Patient developed 104.4 temp approximately 48 hours after being given the vaccine. I treated him with antibiotics, IV fluids, cooling methods. CXR does show a new
COVID19 VACCINE (COVID19)	Jan., 2021	30-39 years	921667-1	LTCF Pfizer Vaccine clinic conducted 12/29/2020 Vaccine lead received a call indicating that a staff member deceased somewhere between 1/3/2021 and 1/4/2021. C
COVID19 VACCINE (COVID19)	Jan., 2021	30-39 years	939050-1	Patient vaccinated on 12/28. Approximately one day later, develops cough and on azithromycin x 1 week. On 1/3, patient develops left-sided weakness and aphasia.
COVID19 VACCINE (COVID19)	Jan., 2021	30-39 years	948418-1	Expired on 1/12/2021; unknown cause of death
COVID19 VACCINE (COVID19)	Jan., 2021	40-49 years	937527-1	unsure if related to vaccine, but was notified by her next of kin that she died on 1/4/2021. No reports of side effects or hospitalization were reported to the facility pr
COVID19 VACCINE (COVID19)	Jan., 2021	40-49 years	950057-1	Patient suffered a cardiac arrest and was unable to give details about her symptoms. Per husband, patient did not complain of any symptoms after vaccine administr
COVID19 VACCINE (COVID19)	Jan., 2021	40-49 years	961339-1	possibly got it at clinic, possibly who administered shot. Pts. daughter said the pts boyfriend denied any symptoms the whole day but that in the middle of the night i
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	920815-1	Found deceased in her home, unknown cause, 6 days after vaccine.
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	921768-1	Vaccine received at about 0900 on 01/04/2021 at her place of work, Medical Center, where she was employed as a housekeeper. About one hour after receiving the v
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	928933-1	Patient had been diagnosed with COVID-19 on Dec. 11th, 2020. Symptoms were thought to have started on 12/5/2020. Received Moderna vaccine on 12/23. Unexp
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	930910-1	Patient received COVID vaccination around 12:15pm. Patient was monitored for the appropriate amount of time by nursing staff. Patient passed away at 2:15pm.
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	933739-1	"Staff member checked on her at 3am and patient stated that she felt like she couldn't breathe. 911 was called and taken to the hospital. While in the ambulance, pa
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	934968-1	he passed away; not responsive; mind just seemed like it was racing; body was hyper dried; Restless; not feeling well; ate a bit but not much; kind of pale; Agitated
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	935511-1	Patient received the 1st dose of Moderna and was found deceased in her home the next day.
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	938118-1	on 1/8/2021 17:30 patient taken to ER, cerebellar hemorrhage, stroke, aneurysm
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	942106-1	54 y/o M with PMH of HTN, HLD, Alcoholic Cirrhosis, Aortic Valve Stenosis, and angina BIBA as a Medical Alert for cardiac arrest noted PTA. Per EMS, the patient calle
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	944595-1	Cardiac arrest within 1 hour Patient had the second vaccine approximately 2 pm on Tuesday Jan 12th He works at the extended care community and was in good hea

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	946293-1	51 year old M with h/o O2 dependent COPD, Severe pulmonary fibrosis became increasingly hypoxic around 1800hours 1/7/2021. He was transported to hospital for medical center.
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	950108-1	""Moderna COVID-19 Vaccine EUA"" It has been reported to me that pt. had gone into hospital for a heart catheterization on 1/12/2021. It was found during this pr
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	955532-1	COVID 19 Vaccination administered by pharmacy staff. No adverse effect at the present time. Staff will continue to observe adverse reaction. Will continue to monitor floor 911 arrived at the scene at 3:10am Cpr rotated Between Nursing and EMT on Scene. Cpr was given to patient for over 45 minutes. Patient was pronounced at t commode unresponsive with absent respiration and pulse. Resident lowered down on the floor with 4 person assist. CPR initiated, AED pads placed on chest with no s for family to call us back for funeral arrangements.
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	955597-1	Death
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	958072-1	Death 3 days after receiving 2nd dose of COVID vaccine, unknown if related to vaccine administration.
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	959001-1	Patient woke apx 0200 complaining of nausea to group home staff. Vitals were checked at that time and WNL. Patient went back to bed. When staff went to wake pa
COVID19 VACCINE (COVID19)	Jan., 2021	50-59 years	964401-1	Pt died 4 days after vaccine, no known reaction to the vaccination
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	918065-1	1/1/2020: Residents was found unresponsive. Pronounced deceased at 6:02pm
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	923993-1	Patient was vaccinated Dec 30, 2020. Prime dose of Moderna vaccine. Observed for full 15 minutes post-injection. No complaints when asked during observation. Rel home. The patient's primary care provider was unaware of his death when contacted by this reporter today (Jan 6, 2021). Electronic Medical Record without any info
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	924464-1	coughing up blood, significant hemoptysis --> cardiac arrest. started day after vaccine but likely related to ongoing progression of lung cancer
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	930154-1	Notified today that he passed away. No other details known at this time.
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	933090-1	Patient died, I have a copy of his vaccination card
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	935815-1	Difficulty breathing, death.
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	937569-1	patient reported expired 1/7/2021
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	941743-1	This person was found to be deceased on routine rounds during the night, 3am. No symptoms of reaction noted post vaccine. No injection site reaction. No reports of
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	942085-1	No adverse effects from vaccination seen on 1/2/21. On 1/6/21 resident was seen by Dr and her baclofen pump was refilled with 20 ml Baclofen 4,000mcg/ml. ITB R primary physician was notified as well as her daughter. Oxygen increased to 4 L/min, sats at 83%. SOA noted, reported all over pain. At 0850 when they attempted t
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	944439-1	Resident expired on 1/2/21.
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	949523-1	Around 00:50am on 01/15/21, C.N.A. reported that the resident looked different and not responding. Initiated Code Blue and started CPR. 911 arrived and pronounc
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	950073-1	"On 1/15/2021 at 1800, resident noted to be lethargic and shaking, stating ""I don't care."" repeatedly. C/O head and neck pain. T100.6. Given Tylenol with no relief , T 99.4, Absence of vital signs at 4:15AM 1/16/21 and death pronounced at 4:40AM 1/16/21."
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	951688-1	Resident expired 1/17/21
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	952713-1	Weakness, Low O2, death. Positive for COVID on 1/12/21, dies on 1/16/21
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	956458-1	Patient was vaccinated for SARS-CoV-2 on 6-Jan-21 at his site of employment, a Nursing Home. Patient presented to Urgent Care on 15-Jan-21 complaining of left si a slightly prolonged QTc of 463 ms. Physical exam was significant for bibasilar crackles and X-ray showed bibasilar infiltrates consistent with COVID pneumonia but b guaifenesin with codeine cough syrup, and Zofran. Labs were drawn and he was discharged. His lab results were reported after his departure and were significant fo alkaline phosphatase of 294 and AST of 112 with ALT noted to be within normal limit. His COVID nasopharyngeal swab from the visit was reported as negative and a Department received a 911 call about an adult at the patient's address who was found unresponsive. Upon arrival on scene, the patient was found to be deceased an Examiner's Office. They have decided to perform an autopsy and have recovered the CBC and chemistry specimens obtained for further testing.
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	958322-1	Shaking and then became unresponsive
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	961705-1	approximately 3 hours prior to expiring the patient was experiencing forceful emesis. later was found to have expired, patient was comfort care only.
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	962716-1	Patient deceased
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	962995-1	No immediate reaction. Patient-reported deceased four days later on Jan. 19, 2021. As of this date cause of death is unknown to our clinic.
COVID19 VACCINE (COVID19)	Jan., 2021	60-64 years	963610-1	Patient deceased on 01/17/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	917117-1	After vaccination, patient tested positive for COVID-19. Patient was very ill and had numerous chronic health issues prior to vaccination. Facility had a number of pat
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	917790-1	At the time of vaccination, there was an outbreak of residents who had already tested positive for COVID 19 at the nursing home where patient was a resident. Abou vaccination caused patient's death. It simply didn't have time to save her life.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	917793-1	Prior to the administration of the COVID 19 vaccine, the nursing home had an outbreak of COVID-19. Patient was vaccinated and about a week later she tested posit
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	918388-1	Resident found unresponsive without pulse, respirations at 04:30 CPR performed, expired at 04:52 by Rescue
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	918418-1	Resident became SOB, congested and hypoxic requiring oxygen, respiratory treatments and suctioning. Stabilized after treatment and for the next 72 hours with oxy
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	919108-1	Fever, Malaise
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	919537-1	Resident exhibited no adverse events during 30 minute monitoring following vaccine administration. Resident found without pulse at 1900.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	920326-1	Redness and warmth with edema to right side of neck and under chin. Resident was on Hospice services and expired on 1.1.21
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	920368-1	12/30/2020 07:02 AM Resident noted to have some redness in face and respiration were fast. Resident vital signs were abnormal except blood pressure. Temp at the made triage aware of resident receiving Covid vaccination yesterday morning. Resident appetite and fluid consumption has been poor for few days. 12/30/2020 07:3 as NP ordered. Will monitor for effectiveness and adverse effects if any. 12/30/2020 08:41 AM Received new orders to obtain Flu swab, obtain CBC and BMP, and Che resident sent to hospital. Did educate family on benefits of Hospice services, but family persistant on continued daily care provided by nursing staff. Requests visits if Family chose at that time to sign for Hospice services and not have resident provided with IVF or IV Antibiotics
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	920545-1	"The resident received is vaccine around 11:00 am and tolerated it without any difficulty or immediate adverse effects. He was at therapy from 12:36 pm until 1:22 p call light and found he had taken himself to the bathroom. She stated that when he went to get back into the bed it was ""abnormal"" how he was getting into it so s
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	920832-1	Vaccine 12/30/2020 Screening PCR done 12/31/2020 Symptoms 1/1/2021 COVID test result came back positive 1/2/2021 Deceased 1/4/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	921175-1	Resident received Covid Vaccine, noted after 30 mins with labored breathing BP 161/77, HR 116, R 38, T 101.4,
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	921481-1	Vaccine given on 12/29/20 by Pharmacy. On 1/1/21, resident became lethargic and sluggish and developed a rash on forearms. He was a Hospice recipient and doct
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	921547-1	DEATH ON 1/4/2021, RESIDENT RECIEVED VACCINE ON 1/2/20
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	921572-1	Resident had body aches, a low O2 sat and had chills starting on 12/30/20. He had stated that they had slightly improved. On 1/1/21 he sustained a fall with a diagn
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	921880-1	The resident was found deceased a little less than 12 hours following COVID vaccination, and he had had some changes over the last 2 days. He was 96 and had bee
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	924126-1	resident expired 1/1/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	924186-1	Resident expired 1/3/21
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	924456-1	Patient did not display any obvious signs or symptoms; the vaccination was administered at approximately 10:00 AM and the patient continued throughout her day v patient's COVID-19 specimen collection from Sunday, 1/3/21, detected COVID-19. When the nursing staff went to the room to check on the resident and prepare her
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	924664-1	At approximately, 1855, I was alerted by caregiver, resident was not responding. Per caregiver, she was doing her rounds and found resident in bed, unresponsive, n incident. This PCG called 911 for EMS and gave report of incident. Resident was taken to Medical Center Emergency Department. At ER, CT scan and X-ray was perfo measures. This primary caregiver reported to RN, resident recently received the first dose of COVID-19 vaccine on 1/2/21. Primary caregiver received a call from Cas
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	925154-1	Deceased
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	925264-1	PT was found deceased in his home on 1/5/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	925556-1	Expired 1/05/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	926269-1	"Pt last seen at 1200 by nurse for ID band check. No visible signs of distress noted. Pt states ""I just want to be left alone"". 1230 nurse was called to pt room. Pt wa
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	926462-1	Patient developed hypoxia on 1/4/2021 and did not respond to maximal treatment and passed way on 1/5/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	926568-1	patient declined 12/30/2020 and was transferred to hospital where he did not respond to treatment and passed away 1/4/2020
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	926600-1	Patient did not report any signs or symptoms of adverse reaction to vaccine. Patient suffered from several comorbidities (diabetes and renal insufficiency). Patient re

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	926797-1	had a vaccination on 12/31/2020 late morning passed away early morning 01/01/2020. This is a 93 year old with significant heart issues. EF of 20% among other co
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	927189-1	Patient was vaccinated at 11am and was found at the facility in his room deceased at approximately 3:00pm. Nurse did not have cause of death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	927260-1	No adverse effects noted after vaccination. Patient with cardiac history was found unresponsive at 16:45 on 1/6/21. Abnormal breathing patterns, eyes partially close
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	928062-1	vomiting later on 01/05/21. Lethargy and hypoxia in pm of 01/06/21. Hypotension am of 01/07/21. Hospitalized, intubated, cardiac arrest, died 01/07/21.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	928513-1	Resident passed away in her sleep
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	929359-1	3:07 pm lung sounds diminished oxygen sats 68%, oxygen applied Oxygen sats remained low for next 36 hours (patient on Hospice care) expired 6:22 am 1-8-21
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	929997-1	Patient received vaccine on 1/4/2021. He was in Hospice for CHF and renal failure, but was able to get up in his wheelchair and eat and take medications and talk. O
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	930386-1	Patient received first dose of vaccine on 12/28, developed COVID-19 infection shortly thereafter and expired on 1/6/2021.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	930418-1	Patient received first dose of vaccine on 12/28, developed COVID-19 infection shortly thereafter and expired on 1/4/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	930466-1	Fever, shortness of breath and chest pain that resulted in a heart attack a few hours after vaccination
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	930487-1	Medical doctor state patient has a acute cardiac attack
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	930876-1	Death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	932346-1	1/7-21 - Received second dose of pfizer covid-19 vaccine 1/8/21 - Fever, dizziness, headache 1/10/21 0250 was found not breathing. EMS performed CPR and patier
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	932787-1	RECIEVED VACCINE 1/8/21 EXPIRED UNEXPECTED 1/10/21, NO ADVERSE REACTIONS NOTED
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	933846-1	"1-2-2021 10:30 PM Complained Right arm/back hurt - took Tylenol 1-3-2021 Complained Right arm hurt, dizzy 1-4-2021 Felt better - did laundry, daughter found h
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	934050-1	Staff reported that patient was found Friday morning (Jan 8) sitting at a table with his head tilted forward and unresponsive to verbal or physical stimuli. Staff lower
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	934059-1	Acute anterior MI with death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	934263-1	The resident resides in an independent living facility/apartment. The reporter at the center was informed by his daughter he was not feeling well on 1/1/2021 (specif
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	934373-1	Patient went to bed around 11pm on Saturday PM and sometime between then and 1:30am on Sunday morning got up and went into the living room without waking
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	934507-1	Resident died suddenly and expectantly on 01/05/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	934539-1	Patient received COVID-19 (Moderna) vaccine from the Health Department on afternoon of January 8, 2021 and went to sleep approximately 2300 that night. Was fo
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	935222-1	Patient was reported to be deceased at home by law enforcement on 1/7/21
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	935343-1	There were no adverse reactions. Resident Died, she had a history of issues with her health prior to the vaccine.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	935350-1	Patient was found unresponsive at home with SpO2 20% 1/2/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	935767-1	My mother was given Pfizer vaccine on Thursday and she died 3 days later yesterday on Sunday!!!
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	936043-1	RESIDENT 1ST DOSE OF MODERNA VACCINE ADMINISTERED ON 01/04/2021 AT 8:30PM, RESIDENT FOUND UNRESPONSIVE ON 01/05/2021.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	936738-1	loss of consciousness Narrative: Patient received COVID-19 vaccine dose #1 on 1/6/21 w/o complications. Per 1/6/21- 1/9/21 nursing notes, patient did not experier
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	937127-1	The facility had positive cases of COVID when we were able to begin vaccinating residents. Within about a week of vaccination, patient was tested positive for COVID
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	937152-1	The facility had positive cases for COVID 19 when the vaccine was received and administered to patient. With her advanced age and chronic conditions, she did not h
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	937186-1	The facility had a number of positive COVID 19 cases prior to patients vaccination. Due to her advanced age, chronic condition, and exposure, patient did not have th
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	937434-1	Pt expired due to possible cardiac arrest. Unsure if this was vaccine related.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	937444-1	Resident was found deceased at approximately 6pm in her apartment
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	938974-1	Hospice Resident received first Covid 19 vaccine dose on 1/6/21. 1/7/21 resident had decreased appetite noted in am but ate 100% of meal at dinner. 1/9/21 resider
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	939845-1	Three hours after receiving COVID 19 vaccination, Patient oxygen level decreased to a critical level and went into cardiac arrest. Staff performed full code but was ur
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	940822-1	patient passed away after receiving the Covid vaccine; This is a spontaneous report from a contactable nurse. An 81-year-old male patient received BNT162B2 (PFIZ
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	940855-1	Patient received her vaccination on 1/12/21 administered by pharmacy*+. She expired on 1/12/21 an approximately 7:30pm. Resident did not have any adverse rea
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	940866-1	"Patient was found ""acting abnormal"" on 1/9/2021 at 1215. VS HR 20-30's. EMS activated. EMS arrived and patient was found pulseless in PEA/ asystole, CPR and
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	940954-1	"Heart attack; This is a spontaneous report from a contactable consumer. An 82-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COV
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	940955-1	"Cardiac Arrest; Patient was found pulseless and breathless 20 minutes following the vaccine administration.; Patient was found pulseless and breathless 20 minutes
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	941215-1	Actual event and cause of death were unknown; This is a spontaneous report from a non-contactable consumer. A 90-year-old female patient received first dose of B
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	941561-1	Staff walked into resident's room around 10:00am and noted resident's left side of his face was flaccid. Nurse was called and upon assessment resident noted to hav
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	941607-1	The patient passed away today, 1/13/2021. She was a hospice patient. She showed no adverse effects after receiving the vaccine on 1/12/2021. This morning she w
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	942040-1	little bit of a reaction light headed after 5 minutes. vitals were low, so observed for 30 minutes after being light headed. Patient was found unresponsive and pronour
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	942072-1	Death occurred 3 days after vaccine receipt; attributed to complications of her chronic advanced dementia with aspiration at age 87. No evidence of acute vaccine re
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	942290-1	Resident received 1st dose on 1/4/2021. On 1/6/2021 resident having SOB, increased weakness with O2 sats at 91% RA. On 8th resident sustained a fall, O2 sats 8%
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	943266-1	Initial pain in back of head and extreme headache. Some vomiting. At emergency, went into coma and was intubated. Hole drilled in skull to relieve pressure. MRI ta
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	943362-1	Pt collapsed at home approx 5:30 pm and died
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	944282-1	resident coded on 09Jan at 8am and expired; This is a spontaneous report from a contactable Other Health Professional. A 70-year-old male patient received first do
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	944641-1	Patient died on 1/21-2021

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	944732-1	Resident found unresponsive and without pulse at 05:45am.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	944998-1	On 1/11/21 noted with headache, nausea/vomiting, severe melaise. On 1/12/21 resident expired.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	945241-1	71yo female resident who died after receiving Pfizer BioNTech vaccine. On 1/14/2021, VS taken at 10am, B/P 99/60, O2 sats, 95% (trach w/O2). At 11:30am, Patier was immediately started; no shock advised per AED; 12:15pm EMS arrived and took over. At 12:38pm, EMT called time of death.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	945247-1	Has underlying dementia and often with difficulty eating. 1 week after immunization she developed a stroke with left sided weakness and difficulty swallowing. Comf
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	945253-1	"83yo female resident who died after receiving Pfizer BioNTech vaccine. On 1/14/2021, the patient reportedly got up in the middle of the night with c/o feeling ""blah unresponsive, no pulse, no respirations. GNA notified the nurse. At 6:03am, CPR started and EMS called. At 6:15am, EMS arrived and took over. At or around 6:30ar
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	945578-1	No reactions immediately after vaccine was given. Resident has dementia, has had multiple hospitalizations related to a renal stone recently. Had a tooth that was bc eating. Compassionate visit with family. Family did not want hospice, did not feel it was needed, said, what more could they do for her than you're already doing? On
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	945603-1	Had no immediate issues with the vaccine. He had returned from the hospital on 12/21 and had some concerns about his weight which were shared with his physicia
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	946225-1	At approximately 10:30pm on 1/14/2021, resident was noted to have a rash on her face, hands, arms, and chest. VS:100.2, 113, 20,108/59, 84% room air. applied 1/15/2021, resident congested and coughing. BP 151/70, pulse 124, temp 98.1 forehead, resp 20 and pulse oc 79% on 3L. At approximately 2:30am PRN cough syr called to say resident passed away.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	946959-1	Sudden death 18 hours post vaccine .
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	947129-1	Resident received Moderna vaccine on 12/23/2020 around 5 pm. At approximately 3:35 am on 12/25/2020, resident had a CVA and died on 1/1/2021 at 3:00 am.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	947642-1	died two days after receiving the vaccine; Fever; This is a spontaneous report from a contactable consumer (patient's stepchild). A 66-year-old male patient received The patient's medical history was not reported. Concomitant medications included an unspecified statin. The patient experienced fever on 08Jan2021. The patient die the middle of night. It was reported that it was not clear what exactly happened, but they are looking into this. The clinical outcome of fever was unknown and of die number for the vaccine, BNT162B2, was not provided and has been requested during follow up.; Reported Cause(s) of Death: died two days after receiving the vacci
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	947662-1	Accelerated decline in condition with decreased input, decreased responsiveness, somnolence, and death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	947841-1	Patient had no immediate effects from the vaccine, but died approximately 8 hours after receiving first dose of vaccine.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	947974-1	Resident was found without a pulse and not breathing 20 minutes after vaccine administration. Upon MD review, no signs of anaphylaxis were noted.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	948150-1	increase weakness and fatigue, weakness in extremities, incontinent, jerky arm movements, within first 24 hours, continue to decline sent to hospital returned weak
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	948164-1	Abdominal pain, Headaches, chest pain, loss of appetite, confusion, elevated liver enzymes 1/8-1/15/21
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	948228-1	Patient reportedly expired the day following receipt of the vaccine.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	949474-1	Resident had lunch on 01/14/21 and after lunch around 2:00pm, he vomited and stopped breathing. We coded the resident and 911 paramedics came. They pronour
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	949547-1	"The patient stated "" I just feel Blah"". vital signs obtained. 156/75 p-84 spo2 94% via NC 2L. T-96.7, c/o feeling restless, c/o nausea with no vomiting. Patient obsr
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	949630-1	This patient has been under hospice care for over 2 years at the nursing home. She has had a steady decline with gradual weight loss. She was totally dependent in hours for first 72 hours after vaccination) with BP 64/52 but otherwise asymptomatic. Subsequent BP improved. On 1/4/2021 at 4:45 am, pt found with respiratory r after that point had persistent tachypnea and worsening hypoxemia despite clear lungs on exam. She remained under hospice care and comfort measures were cont
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	949657-1	Veteran was found by family slumped over and unresponsive at the breakfast table on 1/13/21, had expired
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	949965-1	Patient 101 years old, nursing home resident, received vaccine 1/11, on 1/13 found on floor without obvious trauma, unresponsive. Brought to ED and was bradycar accepted case although initially unknown that patient had recently received vaccine. ME updated with that information today as soon as discovered.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	950441-1	Pt had witnessed arrest by wife. Pt wife started CPR and called EMS. CPR started at 15:12. Continued by EMS. Pt arrived to medical center asystole with CRP in progr unresponsive to verbal and tactile stimulus and had fixed unreactive pupils. He was pronounced at 16:13.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	950893-1	Death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	950979-1	Headache after dose was given at 10:00 a.m Died at after 7:30 pm the same night the dose was given.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	951101-1	PATIENT GOT HER FIRST COVID PFIZER VACCINE AT 12/31 IN THE AM. HAD GOTTEN FLU LIKE SYMPTOMS AND HAD BEEN SICK FOR A COUPLE OF DAYS. HAD NAUS STROKE EXAM. PT HAD NO MOVEMNET IN ARMS OR LEGS AND WAS UNABLE TO SPEAK. PT WAS VITALLY STABLE AT THE TIME. EMS RECORDED THAT THEY THOUGI
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	951518-1	"Narrative: Patient with severe aphasia and only able to say ""hey, hey, hey"" or ""uh huh"" or shake his head no as a way to communicate. Patient previously able to aggressive behavior of shouting ""hey"" and grabbing of groin in 2016. This was worked up with CT scans, labs, referral to urology, neurology, and referrals to psychi reduced, and improved again with addition of injectable antipsychotic on 12-10-2020.Patient suffered from falls on occasion given his significantly impaired physical i often refuse medications. He would sometimes indicate that they would cause dizziness, and other times he would simply refuse. We attempted to hide medications i clear indication to continue use. He was high fall risk and would often refuse this medication as well since 10/2020. Noted to be in NSR on EKGs and decision made to change in health condition. Temperature 36.8C on January 4th at 19:45. During routine bedtime cares, patient suddenly collapsed and death was pronounced January
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	951519-1	Narrative: Symptoms: Palpitations & Syncope Treatment: EPINEPHRINE 1 MG ONCE ,EPINEPHRINE 1 MG ONCE ,SODIUM BICARBONATE 50 ML ONCE
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	951678-1	Heart attack death medical test
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	952704-1	Daughter call in for VAERS report to file for father whom committed suicide 1/16/2021 in the AM after reportable ae of COVID 19 vaccine administered 1/14/2021. P: summary diagnosis: adverse reaction to COVID shot, fever, Panic Disorder-- ER. Medical Center Discharge summary diagnosis: Adverse reaction to the vaccine, acutu would get up and sit down again repeatedly, agitated and anxious. Attempted to urinated hospital bed. Patient committed suicide in home.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	952799-1	On 1/17/2021 at 4:35 am resident found apneic and pulseless, at 4:40am death confirmed
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	952881-1	Resident was seen by MD on 1/11/2021 due to increasing in edema and shortness of breath. Lasix 40 mg STAT given. New orders to get a STAT CBC, CMP, and BNP. was assisted to the toilet on 1/15/2021 in the morning where he subsequently passed away.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953129-1	Patient presented to our Emergency Department via EMS in full code status; asystole. Patient expired. Per nursing, husband stated patient awoke this AM and report
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953183-1	1/11/21 at 8:57 Resident with fever and at 11 am saturation down to 83 O2 to 10 liters. Resident continued to decline until CTB on 1/14/2021 at 1325
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953348-1	Patient was living in a nursing home with positive cases when administered. His age and chronic condition was such that he did not have time after the vaccination to
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953590-1	resident expired; This is a spontaneous report from a contactable healthcare professional. An 82-year-old male patient received the first dose of BNT162B2 (PFIZER- from, failure to thrive (FTT), diabetes mellitus (DM) 2 , chronic obstructive pulmonary disease (COPD), arthritis, weakness, hyperlipidemia, chronic kidney disease (C negative on 09Jan2021. There was no treatment given for the event. The patient died on 11Jan2021. An autopsy was not performed.; Sender's Comments: Lacking measure and for reporting purposes. The patient's pre-existing medical condition of metabolic encephalopathy from, failure to thrive (FTT), diabetes mellitus (DM) 2 impacts of this report on the benefit/risk profile of the product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of agc Investigators, as appropriate.; Reported Cause(s) of Death: resident expired
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953754-1	patient suddenly developed pneumonia 7 days after vaccination and died the evening of developing pneumonia
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953785-1	Death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953858-1	patient started to decline 1/10/2021, patient seen at facility by medical professional - patient deceased 1/13/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	953865-1	REPORTING ONLY AS RESIDENT EXPIRED ON 1/17/2021 3 DAYS AFTER. S/S HYPOXIA/CONGESTED LUNG SOUNDS
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	954251-1	71 year old woman at rehabilitation center for physical therapy with history of cirrhosis of the liver, asthma, and heart condition was tested for COVID-19 on 01/07/2021. Patient passed away on 01/17/21.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	954780-1	On 1/13/2021, resident had sudden emesis. Immediately following emesis he was noted without a pulse and pronounced deceased. No acute symptoms noted prior t
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	954812-1	She had the first dose of Pfizer vaccine at the Campus on Friday 1/15 at 4:30 pm. After the vaccine, she had no new symptoms or signs of vaccine reaction and MD f nausea/epigastric pain, and chest heaviness. These apparently were not unusual symptoms for her to feel intermittently. Per her niece, who has a home O2 sat devic
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	955261-1	Death
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	955390-1	Resident received vaccination on January 15, 2021. She was found unresponsive with shallow respirations on the morning of January 16, 2021 and was sent to ER vi
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	955425-1	resident had a pressure ulcer to RT hip, was getting treatment on. Was scheduled to have wound debrided and wound vac applied on 1-19-2021. Appetite was poor,
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	955436-1	patient received vaccine 12/29. Unexpected death 1/5.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	955959-1	Patient died 1 week after vaccination. According to family was having very rapid decline in status in recent weeks and they did not think related to vaccination.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	956365-1	12/28/2020: generalized weakness and fell twice at home, cough, nausea,1/04/2021: cough, nausea, fever and chronic pain when she fell from being weak. admitte passed away
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	956761-1	Family was told that Patient expired in his sleep during the early morning hours of 1/15. I spoke with him the evening before (on 1/14), which was a day after he ha
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	956843-1	Resident was found deceased in his bed at 7:15 am.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	956962-1	COVID 19 vaccine, unknown which company Chronically ill in a skilled nursing facility found diaphoretic, hypotensive, hypoxia to 85% arrived to Emergency dept in c

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	956994-1	The patient had severe shortness of breath resulting in cardiac arrest on the 5th day after the vaccine. Shortness of breath started 12 hours after injection. On the 5
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	957116-1	Sudden death without warning symptoms 4 days after vaccine. Many medical problems which most likely explain the outcome but spouse feels it is related and it is a
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	957799-1	Presented to Urgent Care for weakness and confusion, transferred to ED, patient had a cardiac arrest and was unable to be resuscitated
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	958069-1	Started with cough, mild shortness of breath and feeling terrible in evening of 1/19.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	958228-1	Patient has end stage renal disease and rapidly worsening dementia, family could no longer care for him at home, and he was admitted for 14-day quarantine prior t
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	958745-1	Resident was noted to have increase weakness on 1/15/2021. Resident was warm to touch with low grade fever of 99.3 F. Resident was up propelling self in w/c on 1
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	958914-1	Death on 1/15/2020
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	958935-1	Sudden Death within 24 hours of vaccine
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	958971-1	Hemorrhagic Stroke, Right Basal Ganglion
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959079-1	On 1/9/2021 observed with elevated respirations of 38-42 per minute, BP manually 72/50. pulse is jumping rapidly between 110-16 bpm. oxygen sat 76% RA, resid
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959167-1	Patient received COVID 19 vaccine 01/14/2021. Patient died in his sleep 01/16/2021.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959179-1	Patient received COVID-19 vaccination on 1/14/2021. On 1/17/2021, patient was transferred to Hospital s/p multiple cardiac arrests. Patient was hyperkalemic and i
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959272-1	Patient died 4 days after immunization. Probably unrelated to immunization, as patient has been in poor health and was receiving hospice services. I have no details
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959356-1	Pt passed away the day after the vaccine was given.
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959568-1	Patient received her first dose of the Moderna COVID-19 Vaccination on Saturday January 16th 2021 at approximately 12pm. She completed all necessary screening
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959591-1	Resident has increase weakness and lethargy with abnormal labs. He was transferred to the ER. He was admitted to the hospital and treated for worsening AKI and f
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	959929-1	"Narrative: Patient seen in ED 1-17-21 with c/c of ""bloating with epigastric pain"". Patient with complicated medical history including stage 1B pancreatic cancer (wa
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	960460-1	"died; tested positive for COVID; tested positive for COVID; This is a spontaneous report from a contactable consumer from a Pfizer-sponsored program, Pfizer First
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	960552-1	At approximately 930am I arrived at Memory Care. I met with the director of the facility and she directed me to where my team would be setting up. My team consis
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	960752-1	Extreme Fatigue
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	961010-1	Resident returned to the memory support unit at 1500. Resident was than toileted and transferred in to bed per his request. At 1515 resident was observed face dow
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	961434-1	This is a 94-year-old male who is brought in by ambulance after being found on the floor with unknown downtime. He was in asystole upon EMS arrival. He remains
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	961776-1	1/13/2021 12:00 PM: Patient received COVID-19 Vaccine. 1/14/2021 21:00: Nurse performed routine rounds and the patient appeared okay. 1/14/2021 22:00: CNA
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	961845-1	Narrative:
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962307-1	tired; legs felt heavy; stopped breathing; This is a spontaneous report from a Pfizer-sponsored program a non-contactable consumer. A 93-year-old male patient rec
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962318-1	"Called to schedule second vaccine and daughter reports that he died on 01/19/2021 with ""COVID""
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962325-1	"Patient's wife called this morning stating that her husband has passed away last night. After receiving first dose of Pfizer COVID-19 vaccine at around 0830, patient
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962390-1	Admitted to hospital after vaccination with Acute hypoxemic respiratory failure, Septic shock; Aneurysm of arteriovenous dialysis fistula; expired 1/16/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962714-1	We do not believe that the patient's death was an adverse event from the vaccine. Patient received COVID vaccine from Pfizer Dose #1 12/19/2020 (lot # EK5730) a
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962784-1	patient expired 1/15/2021; had been treated as outpatient for pneumonia, likely COVID-19 but no positive test result in December 2020. PMH diabetes
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962827-1	Admitted 1/14/21: Patient is an elderly 93-year-old female with multiple medical problems including chronic combined CHF, P 80, diabetes mellitus, HTN, hyperlipide
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962940-1	Pt received second dose of COVID vaccine on 01/20/2021 at 1430. At 1600 Pt developed a wet productive cough with coarse crackles. Pt ate dinner at 5 pm cough p
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	962966-1	On Saturday, 1/16/2021, Patient went to the grocery store. Upon her return, she indicated she was experiencing N/V and some throat swelling. Patient subsequently
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963016-1	unknown. Event occurred after leaving vaccination site
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963057-1	presented to ED 1/9/21 with abdominal pain, progressive worsening weakness and fatigue and new onset A fib with RVR likely due to hypertensive urgency . Patient
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963163-1	Narrative:
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963167-1	Narrative: Symptoms: & Cardiac Arrest; Death Treatment: EPINEPHRINE
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963235-1	Patient diagnosed with COVID on January 9, 2021 after being exposed to family member that was under quarantine in the same household. Admitted to the hospital
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963269-1	Patient passed away on 01/18/2021
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	963388-1	Patient died unexpectedly 5 days after receiving vaccine (1/10/2021).
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	964617-1	Death, which I believe is unrelated to vaccination
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	964653-1	loss of consciousness; respiratory distress Narrative: Patient tolerated his 1st dose of the COVID-19 vaccine well, on 12/16/2020, and received his 2nd dose on 1/6/2
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	964671-1	Death on 1-5-21
COVID19 VACCINE (COVID19)	Jan., 2021	65+ years	964724-1	Death 1-15-21
COVID19 VACCINE (COVID19)	Jan., 2021	Unknown	930431-1	Cardiac event, 2 days after vaccination, patient expired.
COVID19 VACCINE (COVID19)	Jan., 2021	Unknown	934963-1	Death; This is a spontaneous report from a contactable Physician. An elderly male patient received BNT162B2 (COVID vaccine), via an unspecified route of administr

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	Jan., 2021	Unknown	934966-1	COVID-19; COVID-19; Pneumonia; respiratory failure; This is a spontaneous report from a contactable consumer. An 80-year-old female patient received first dose of COVID-19 vaccine. Concomitant medications included unspecified medications. The reporter's mother in law was tested for COVID-19 at a nursing facility on 25Dec2020 and she was not. The patient's death was listed as pneumonia, respiratory failure and COVID-19. No autopsy performed. No treatment received. No one knew if the vaccination contributed to her death. The reporter wanted to give us this information because we might want to consider having high risk population, patients with underlying conditions, older population test did not receive any other vaccines within 4 weeks prior to the COVID vaccine. There are medications the patient received within 2 weeks of vaccination. Prior to vaccination, the patient had no symptoms. The association between the fatal event lack of effect (pneumonia, respiratory failure and COVID-19) with BNT162b2 can not be fully excluded. Safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and the public.
COVID19 VACCINE (COVID19)	Jan., 2021	Unknown	960437-1	platelets dropped so low/thrombocytopenia; Hemorrhagic stroke/brain hemorrhage; This is a spontaneous report from a contactable nurse. A 56-year-old male patient was hospitalized for thrombocytopenia. The doctor that died that developed thrombocytopenia after taking the vaccine, stated it was in the news yesterday. The patient had specialists that tried to get his platelet count back up again and they could not get his platelets back up again and he ended up having the hemorrhagic stroke. The patient's condition is currently stable. Lacking patient's underlying medical conditions, clinical course, relevant lab data, the Company cannot make a benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events.
COVID19 VACCINE (COVID19)	Unknown Date	40-49 years	933578-1	Pronounced dead 1/9/2021 at 12:42. Received first dose of vaccine 1/8/2021
COVID19 VACCINE (COVID19)	Unknown Date	50-59 years	941811-1	Resident began having fever on 1/11/21 @0600. VS= T-102 B/P- 100/57 P- 112 RR- 24 O2 Sat 92% on RA. MD called. Rapid COVID Test was negative. CBC, CMP, Urea Nitrogen ordered. Condition worsened. Resident sent to nearest ER for evaluation. Later in the evening the staff at Medical Center called to inform staff that resident had expired.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	940602-1	"Patient received vaccine on 1/8/2021. On 1/9/2021 I checked on patient via phone for symptoms or problems and he reported none but mild soreness at injection site. He appeared to be a "heart attack"."
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	943442-1	Systemic: reported by staff patient expired under suspicious circumstances after receiving vaccine. Patient was on hospice, reported not expected to pass this soon; sender's comments: patient had been on hospice for several weeks.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	943889-1	No adverse reactions observed after administration of medication. Patient starting complaining of shortness of breath around 0500 the following morning. SpO2 checked and was 92% on RA.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	948428-1	We got a call from a home health nurse Brandu Talamo, stating that the patient passed away.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	955256-1	Patient was vaccinated in right arm. Within 5 to 10 seconds after vaccination, patient started clenching his hands tightly and became unresponsive. Patient was lower extremities numb.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	956225-1	Systemic: Pt monitored by nursing for 30min after inj, pt was stable/no reaction. At ~1hr post inj pt was unresponsive. Pt was a hospice/dnr per director
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	959147-1	Unknown as to any correlation with vaccine as this was a hospice patient that was already experiencing decline. Patient became Jaundice for approximately one week.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	959729-1	Per Nursing Staff- patient died within 24 hours of receiving the vaccine. patient has hospice. Please contact director of nursing for more details.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	959747-1	per staff at facility patient died 24 hours post vaccination. Please contact Director of Nursing for further details.
COVID19 VACCINE (COVID19)	Unknown Date	65+ years	961741-1	The patient received his vaccine in the morning of 1/20/2021, while getting into a car to go to his pulmonologist, about 2 hours after, collapsed, unresponsive, and died.
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	955879-1	expired before receiving the second dose; This is a spontaneous report from a contactable nurse. This nurse reported similar death events for 8 patients. This report is for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient expired before receiving the second dose on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. Available, Linked Report(s) : US-PFIZER INC-2021034595 same drug, reporter and event but different patient; Reported Cause(s) of Death: expired before receiving second dose
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	955880-1	passed unexpectedly; This is a spontaneous report from a contactable nurse communicated to a Pfizer colleague. This nurse reported similar death events for 8 patients. This report is for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient passed unexpectedly on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. This case is reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. Linked Report(s) : US-PFIZER INC-2021034595 same drug, reporter and event but different patient; Reported Cause(s) of Death: expired before receiving second dose
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	960426-1	expired before receiving the second dose; This is a spontaneous report from a contactable nurse. This nurse reported similar death events for 8 patients. This report is for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient expired before receiving the second dose on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. Available, Linked Report(s) : US-PFIZER INC-2021034598 same drug, reporter and event but different patient; US-PFIZER INC-2021034599 same drug, reporter and event but different patient; US-PFIZER INC-2021034596 same drug, reporter and event but different patient.; Reported Cause(s) of Death: expired before receiving second dose
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	960427-1	expired before receiving the second dose; This is a spontaneous report from a contactable nurse. This nurse reported similar death events for 8 patients. This report is for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient expired before receiving the second dose on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. Available, Linked Report(s) : US-PFIZER INC-2021034598 same drug, reporter and event but different patient; US-PFIZER INC-2021034599 same drug, reporter and event but different patient; US-PFIZER INC-2021034596 same drug, reporter and event but different patient.; Reported Cause(s) of Death: expired before receiving second dose
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	960428-1	expired before receiving the second dose; This is a spontaneous report from a contactable nurse. This nurse reported similar events for 8 patients. This report is for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient expired before receiving the second dose on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. Available, Linked Report(s) : US-PFIZER INC-2021034598 same drug, reporter and event but different patient; US-PFIZER INC-2021034599 same drug, reporter and event but different patient; US-PFIZER INC-2021034596 same drug, reporter and event but different patient.; Reported Cause(s) of Death: expired before receiving second dose
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	960429-1	expired before receiving the second dose; This is a spontaneous report from a contactable nurse. This nurse reported similar events for 8 patients. This report is for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient expired before receiving the second dose on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. Available, Linked Report(s) : US-PFIZER INC-2021034595 same drug, reporter and event but different patient; Reported Cause(s) of Death: expired before receiving the second dose
COVID19 VACCINE (COVID19)	Unknown Date	Unknown	960431-1	expired before receiving the second dose; This is a spontaneous report from a contactable nurse. This nurse reported similar death events for 8 patients. This report is for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient expired before receiving the second dose on an unspecified date. Information provided in this report does not allow a full assessment of the case. The event death with unknown cause is assessed as related to the suspect drug per company guidance. Available, Linked Report(s) : US-PFIZER INC-2021034595 same drug, reporter and event but different patient; Reported Cause(s) of Death: expired before receiving the second dose
COVID19 VACCINE (COVID19)	No Death	6-17 years	921641-1	Administered first dose of COVID19 vaccine at 1:29pm on 1/4/21. At approximately 11:00pm resident exhibited acute respiratory decompensation with very limited response to treatment.
COVID19 VACCINE (COVID19)	No Death	18-29 years	902946-1	Swelling of hands followed by angioedema
COVID19 VACCINE (COVID19)	No Death	18-29 years	904334-1	Angioedema, hives, tachycardia, shortness of breath
COVID19 VACCINE (COVID19)	No Death	18-29 years	908685-1	throat swelling, SVT
COVID19 VACCINE (COVID19)	No Death	18-29 years	909481-1	O had the vaccine at 9 am this morning waited 15 mins after vaccine before leaving while driving I had a pounding heart rate and hot I rolled down the window felt hot and I had hives on chest they took me emergency while there I had sever pounding heart and vomiting treated with meds sent home with medication and benadryl
COVID19 VACCINE (COVID19)	No Death	18-29 years	912930-1	"Patient was monitored for >15 minutes after vaccination. Patient told a nurse that her knees felt weak. Patient then fainted and was laying on the floor when I arrived. BP was around 143/80 and unsure about the pulse. Patient then become unresponsive for 20-30 seconds."
COVID19 VACCINE (COVID19)	No Death	18-29 years	913445-1	Pt developed anaphylaxis, was given IM Benadryl, and was sent to the ED. Pt spent 1 night in the hospital, went home, and has come back and is in the ICU. Pt had difficulty breathing.
COVID19 VACCINE (COVID19)	No Death	18-29 years	915464-1	10 minutes after receiving vaccine, patient reported numbness across upper lip which progressed to her tongue. Felt tingling and dryness of tongue and swelling. No difficulty breathing. Monitored x 4 hours with resolution of symptoms. Prescribed prednisone 50mg po x 4 days.
COVID19 VACCINE (COVID19)	No Death	18-29 years	916710-1	Acute appendicitis, onset morning of 1/1/2021 (Reporting this because Pfizer covid vaccine had 3-4x higher risk of appendicitis, although data not reported for Moderna)
COVID19 VACCINE (COVID19)	No Death	18-29 years	916742-1	Within 15 minutes of receiving the vaccine I began to get very itchy and blotchy with a hoarse voice. The paramedic downstairs walked me up to the emergency room and I was transferred by ambulance to medical center in the ICU. I am still here and have had two toner anaphylactic episodes since. I have been on an epinephrine drip.
COVID19 VACCINE (COVID19)	No Death	18-29 years	917712-1	Anaphylaxis. The COVID shot was given, no reaction then. After 7 minutes, congestion, severe cough, vomiting phlegm, feeling like throat closing started happening. EPI, anti-nausea medication all through I.V. and many more medications given to me via I.V. that I don't sincerely remember. I was under observation for 4 hours. I was given a steroid. Anaphylactic reaction was quick and prepared.
COVID19 VACCINE (COVID19)	No Death	18-29 years	917835-1	Tactile fever, arm pain, headache and malaise in 24 hrs following injection Next day generalized achiness, retrosternal chest pain and bilateral forearm tingling pain since injection. PCR negative
COVID19 VACCINE (COVID19)	No Death	18-29 years	919252-1	Employee received COVID 19 vaccination at 9:45am on 12/30/20. ~15 min. later she developed a rash down her left arm, then down her Rt. arm. about 4 hours later she was hospitalized.
COVID19 VACCINE (COVID19)	No Death	18-29 years	930079-1	Swelling of throat and tongue, anaphylaxis, hives, redness, swelling
COVID19 VACCINE (COVID19)	No Death	18-29 years	932915-1	Severe thrombocytopenia (plts 3k/uL), oral mucosal bleeding, bruising
COVID19 VACCINE (COVID19)	No Death	18-29 years	935180-1	Scratchy throat, dizziness and eventually feeling like her throat is closing in
COVID19 VACCINE (COVID19)	No Death	18-29 years	936715-1	Approx 10-15 post vaccine, employee said she felt lightheaded and like her heart was racing. Within 10 minutes she said she felt difficulty breathing, She then vomited.
COVID19 VACCINE (COVID19)	No Death	18-29 years	937932-1	Patient presented with myalgias, fevers, and chest pain on 1/10/21 and was found to have diffuse ST elevation and elevation troponin. He was evaluated by cardiologist and hospitalized.
COVID19 VACCINE (COVID19)	No Death	18-29 years	939216-1	Blurred vision, difficulty breathing (pale skin/blue lips), profuse sweating, muscle fatigue, headache. This lasted about 15 minutes. Until severity went down. Followed by nausea and vomiting.
COVID19 VACCINE (COVID19)	No Death	18-29 years	941576-1	Employee was awoken at 5:30 am on 1/13/2021 by chills and a feverish feeling. She then became nauseous and faint. She passed out and was noted by her mother and has been on medications for this. Employee stated she has not has any seizure activity in over a year. She did not see medical attention due to recovering quickly.
COVID19 VACCINE (COVID19)	No Death	18-29 years	944289-1	she was diagnosed with bilateral deep vein thrombosis (DVT) and pulmonary embolism (PE); she was diagnosed with bilateral deep vein thrombosis (DVT) and pulmonary embolism (PE) on 1/13/2021. Medical history included allergy to all fish, and clots. T and experienced left sided lower back pain on 20Dec2020. No other vaccine received in four weeks. It was reported that the patient had the first covid vaccine on 16 Dec 2020. The patient had no symptoms of covid. The patient otherwise healthy and had never had covid. Other than the clots, she had no other hospitalization, hospitalization, and life threatening illness (immediate risk of death from the event), hospitalized for 2 days (in Jan2021). Adverse event was not reported. Sender's Comments: The underlying risk factors/predisposing condition of thrombotic diathesis have been assessed to have played a contributory role in the development of the event.
COVID19 VACCINE (COVID19)	No Death	18-29 years	944450-1	Per pt, sx onset began at 1520 with pruritus/hives of the scalp. She was in the post vaccine observation area at this time. At 1530, EE returned to vaccination room flushing and feeling hot, and severe pruritus, especially on the scalp. 50 mg IM Benadryl administered and was taken to ED via wheelchair which is 7 minutes away.

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	No Death	18-29 years	944831-1	"12/23/2020: 2 hr after injection, patient noted swollen lymph nodes, nausea, room spinning (motion sickness-like) sx. Stayed home from work that day and slept.
COVID19 VACCINE (COVID19)	No Death	18-29 years	945090-1	Day after vaccine : mild shortness of breath, sensation of swelling in my throat/neck area. Took Benadryl 50mg before bedtime. 2 days after vaccine: woke up with v and steroids. Sitting in the ER now debating admission. Likely being admitted., home epipen are too expensive to treat q2h by myself.
COVID19 VACCINE (COVID19)	No Death	18-29 years	946096-1	started with left sided lower back pain; This is a spontaneous report from a contactable Nurse (patient). A 22-year-old female patient received the first dose of BNT1 concomitant medications were not reported. The patient had the first covid vaccine on 16Dec2020 and on 20Dec2020 started with left sided lower back pain. The eve patient received the Heparin drip and xarelto at home for the event. The patient was not pregnant. The patient received the covid test post vaccination on 09Jan2021 nature of the reported event and what are the reasons that have put the subject at immediate risk of death. The event is considered possibly related to the suspect f
COVID19 VACCINE (COVID19)	No Death	18-29 years	946553-1	anaphylaxis by lethargy, nausea, vomiting, palpitations, funny feeling in chest, swollen lips
COVID19 VACCINE (COVID19)	No Death	18-29 years	947718-1	Tingling and throat swelling to Moderna COVID-19 Vaccine EUA
COVID19 VACCINE (COVID19)	No Death	18-29 years	951689-1	29yo female patient reports feeling her throat tingling and closing sensation in her throat with a metallic taste and diaphoretic approximately 3 minutes after receivir 20min after injection and EMS arrived to transport patient down to ER within 1-2 minutes after Epipen administered. Patient was monitored in ER and recovered well
COVID19 VACCINE (COVID19)	No Death	18-29 years	952782-1	Patient presented to ED with complaint of chest pain, radiating down left arm, not relieved with Tums. Symptoms started at 0530 1/12/2020. Patient presented to EC
COVID19 VACCINE (COVID19)	No Death	18-29 years	953997-1	WITHIN 30 SECONDS OF RECEIVING VACCINE PATIENT STATED THAT SHE DID NOT FEEL WELL. HER FACE BECAME FLUSHED. HER LIPS BECAME NUMB AND HER TC
COVID19 VACCINE (COVID19)	No Death	18-29 years	954265-1	Received shot Wednesday night, developed arm soreness and mild flu like symptoms on left side of my body and facial paresthesias on the left side of my face. Twelv chest and overnight into Saturday they were on my lower back, sides, and legs. I took 50 mg of Benadryl every 6-12 hours until Monday mid-day when Benadryl wa: I and was diagnosed with likely allergic reaction to the covid-19 vaccine.
COVID19 VACCINE (COVID19)	No Death	18-29 years	955565-1	One week after the shot (1-14-2021) Patient (19 y.o.)reported side pain and appeared constipated, Laxatives given along with Tylenol, on further assessment Patient by lunch she had developed significant pain and edema in her left leg, and the color of her leg was reddened again. She was sent to the emergency room with her sy Thurner Syndrome, history of developmental disabilities, fecal impaction and urinary retention - suspected related to her fecal impaction. Vascular surgery was consu ordered, ace wraps being used until these are supplied. Her Fecal impaction was addressed also and the urinary retention resolved.
COVID19 VACCINE (COVID19)	No Death	18-29 years	956504-1	27-year-old female with past medical history of anxiety, allergic to shellfish, presented for COVID-19 vaccination, developed shortness of breath after COVID-19 Mod tachycardia HR 95-105 , Sat 96% on room air not in distress. Patient was admitted for further observation
COVID19 VACCINE (COVID19)	No Death	30-39 years	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received morning after the injection.
COVID19 VACCINE (COVID19)	No Death	30-39 years	903324-1	40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 h
COVID19 VACCINE (COVID19)	No Death	30-39 years	903592-1	Not all or limited to: anaphylactic reaction: Feeling lump in throat, tongue feeling funny with numbness, feeling of hard to swallow, throat tightness, shortness of bre
COVID19 VACCINE (COVID19)	No Death	30-39 years	904029-1	15 minutes after getting the vaccine began itching that quickly developed into rash/hives to face, neck, chest, abdomen. At 20 minutes post vaccine developed sever them. Was rushed to the ER from employee health and arrived approximately 30 minutes post vaccine administration at that time there was significant mottling to ar feet with cyanotic nail beds and mottling to hands/ arms that would come and go. Rash/hives reappeared much worse 2 horse post meds to face, neck, and upper ch independently and walk a few steps, but still having legs cramps and intermittent tingling to feet. Color has improved with resolved mottling/cyanosis. I continue to f
COVID19 VACCINE (COVID19)	No Death	30-39 years	904553-1	Within a few minutes of taking the vaccine, my lower lip began swelling. I was moved to the emergency department of Hospital and monitored and treated for four h worse. My husband drove. My heart rate increased. I was released at around 6:30 pm
COVID19 VACCINE (COVID19)	No Death	30-39 years	909147-1	Approximately 2 minutes after injection, felt flushed and tingly. This subsided, but developed a cough. Felt fine enough to leave the vaccination area after being mon tachycardic and hypertensive. Received IV Benadryl, steroids, and IV fluids. Discharged home, but symptoms returned around 2pm. Sought care in a different ED, w metoprolol.
COVID19 VACCINE (COVID19)	No Death	30-39 years	909165-1	At the time of the injection sharp pain across my back , then at about 5 mins after feelings of light headedness, progressing pain across my back, trouble feeling like I regained consciousness and was gasping andI was told I had been given a shot of epi.
COVID19 VACCINE (COVID19)	No Death	30-39 years	909278-1	Rapid onset of hoarseness, throat tingling and tightness
COVID19 VACCINE (COVID19)	No Death	30-39 years	912137-1	Was given the vaccine and about 5 minutes later started having swelling and my eyes and face. It was watched for a few minutes and was assessed by EMS and take
COVID19 VACCINE (COVID19)	No Death	30-39 years	912511-1	Received vaccine at 1:30 pm yesterday, noted onset of symptoms at 8:45 pm. Numbness and tingling to mouth and bilateral upper and lower extremities, mild visior multivitamin/pre-natal vitamins. Patient was prescribed Pepcid 20 mg BID, Medrol 4 mg dose pack 21 pill taper until complete. Also given Benadryl 25 mg - 50 mg e
COVID19 VACCINE (COVID19)	No Death	30-39 years	912785-1	Monitored x 15 min per guidelines. Began to experience SOB and throat swelling, after which pt presented to the ED for tx, dx acute hypertensive urgency with seve
COVID19 VACCINE (COVID19)	No Death	30-39 years	914103-1	10 minutes after receiving vaccination, a significant increase in HR was noted, along with a tingling sensation through out body. Also, scratchy throat was noted. Aler shortly after Epi administration. Taken to ER for 4 hour observation. Sent home after 4 hours and given prednisone to be taken at home, 50mg daily for 4 days. No fi
COVID19 VACCINE (COVID19)	No Death	30-39 years	914596-1	Anaphalaxis reaction, stridor an unable to breathe. Happened in 30 seconds
COVID19 VACCINE (COVID19)	No Death	30-39 years	915199-1	Itchy throat, red eyes after 30 minutes. EMS on site gave IV Benadryl, epi pen shot and took to ER for monitoring. Vitals were good so he was discharged.
COVID19 VACCINE (COVID19)	No Death	30-39 years	915928-1	Started feeling a reaction immediately after the vaccine, felt blurred vision, dizziness, racing heartbeat, chest rash and face, itching all over, difficulty swallowing, ton pick her up and she will follow up with OH tomorrow. -----RN ED ----- RN 12/29/2020 1715 called to check on patient. left voicemail for her t called. Hospital admitted. Intubated for less than 24 hours. Breathing treatments, epi drip. Now just on steroids and walking around and feeling better. Still admitted
COVID19 VACCINE (COVID19)	No Death	30-39 years	916538-1	"15-20 mins after receiving the vaccine she reported she had difficulty swallowing and difficulty breathing and was "shaking."" a PA wrote in her note that when she extremities feeling abnormal. No stridor. No facial edema noted by that clinician. Administered epi-pen 0.3mg - IV started , Benadryl 50mg IVP and solumedrol 125m expected with some favorable response after 10-15 min Staff there gave her IM epinephrine, IV Solu-Medrol and 50 mg IV Benadryl. EMS was contacted and transpc developed recurrence of throat swelling. Went back to a different ER. Developed dyspnea immediately prior to arrival at ER. There was again given solumedrol and b for 5 hours. Is continuing to take prednisone and benadryl. Rash is still present but improving with scheduled benadryl. Has new redness at injection site today. Cont visits."
COVID19 VACCINE (COVID19)	No Death	30-39 years	916859-1	The vaccine was received at 1:12 PM, and I felt fairly fine, aside from injection site pain and some tingling in my left arm until I had sudden significant elevation of h 1:28PM. EMS (present onsite) arrived for transport at 1:31PM. 4L of oxygen was applied after O2 sat of 89% noted by EMS. Blood pressure was elevated to >200/10 department where I was evaluated (symptoms mostly resolved at that time, but ED physician noted a little swelling remaining in my uvula), then IV Benadryl and De 5:00PM, as symptoms had not recurred.
COVID19 VACCINE (COVID19)	No Death	30-39 years	916890-1	HIVES, SOB, THROAT CLOSING UP, WHEEZING
COVID19 VACCINE (COVID19)	No Death	30-39 years	917210-1	30YO F ICU nurse obesity (BMI 35) COVID 19 on Dec 2 symptoms, Dec 3 tested positive for COVID-19. never hospitalized, outpatient only. 12/12 completed isolation WBC 22K tachycardic tachypneic admitted requiring 2-4L oxygen CT angio without clot, diffuse ground glass and RML dense infiltrate DDimer 7.8 LDH 599 CRP 41 pr
COVID19 VACCINE (COVID19)	No Death	30-39 years	918839-1	Gallbladder removed, septic, 11mm axillary lymph node.
COVID19 VACCINE (COVID19)	No Death	30-39 years	919604-1	Presented to the ED after developing chest tightness, cough, lightheadedness, and throat closing sensation. She received the Moderna COVID-19 vaccine on the mor hours she continued to develop worsening nausea, chest tightness, cough, lightheadedness, and the sensation that her throat closing. She took PO Benadryl 25mg; t 60mg, DuoNebs x 3, Raccpinephrine x 1.
COVID19 VACCINE (COVID19)	No Death	30-39 years	920224-1	had a positive COVID test; had a positive COVID test; O2 Saturation of 80% / Hypoxia; shortness of breath; He has a CT scan which showed extensive infiltration in 1st of 2 reports. A 35-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Dec2020 a receiving the COVID vaccine, developed COVID or symptoms of COVID. Patient received the COVID vaccine on 18Dec2020 and the same night patient started with a tested positive for COVID. He had a CT (computerised tomogram) scan which showed extensive infiltration in the lungs in Dec2020. Patient was admitted to the hosp 26Dec2020 which was done to confirm the previous positive test. Caller thought patient had his first positive COVID test either the same day or the next day after re 24Dec2020, muscle pain, chills and positive COVID test was reported as medically significant; and other events were reported as non-serious. Outcome of O2 satura Sender's Comments: Based on the information currently available, a lack of efficacy with suspected vaccine BNT162B2 in this patient cannot be completely excluded.
COVID19 VACCINE (COVID19)	No Death	30-39 years	924524-1	PATIENT REPORTING ITCHING AT 30 MINUTES POST INJECTION. AT 1.5 HOURS POST INJECTION PATIENT REPORTED ITCHY THROAT AND NUMBESS OF LEFT SIDE (HOURS HER STARTED TO CLOSE AGAIN AND RECEIVED ANOTHER DOSE OF EPINEPHERINE, WAS RELEASED FROM HOSPITAL ROUGHLY 15-16 HOURS AFTER GOING
COVID19 VACCINE (COVID19)	No Death	30-39 years	926703-1	Guillain Barre syndrome/AIDP event. Paresthesia and nerve pain developed in bilateral legs 4 hours after shot and progressed slowly for 4 days in intensity and area and was admitted to start IVIG treatment for Guillain Barre Syndrome/AIDP.
COVID19 VACCINE (COVID19)	No Death	30-39 years	927223-1	Nausea, hives, anaphylactic shock, throat swelling, hypotension, headache, dizziness, weakness . The symptoms returned at 1:25pm the best day as well. I?ve now
COVID19 VACCINE (COVID19)	No Death	30-39 years	928240-1	Less than 5 minutes after vaccine, nose drained, weird taste in mouth, tingle in nose and on tongue. Throat and tongue swelled, couldn't speak. Dizzy and slurring s better after 3 1/2 hours. Continued steroids for 5 days and had to take benedryl every 4 hours for 3 days or swelling/itching/bad taste in mouth would return. Sore a
COVID19 VACCINE (COVID19)	No Death	30-39 years	929391-1	1/6/21 Pt received vaccine and complained of difficulty swallowing and rapid heart rate. Pt received methylprednisolone 125mg IVP, diphenhydramine 25mg IVP, & fa vomitted. Pt received epinephrine and Benadryl X 1 dose each. Pt then transported to hospital via ambulance. Reason for admission - acute respiratory failure secon Medrol Dose Pack 1/9/21.
COVID19 VACCINE (COVID19)	No Death	30-39 years	929526-1	Anaphylactic reaction 6 days post vaccine 24Dec2020; I had severe chest tightness; SOB; throat soreness; hoarse voice; mouth swelling; This is a spontaneous repo unspecified route of administration in the left arm on 18Dec2020 at 15:30 (at the age of 34-years-old) as a single dose for COVID-19 immunization. Medical history i UNKNOWN), hydrocodone bitartrate/paracetamol (NORCO), ibuprofen (MANUFACTURER UNKNOWN), and ondansetron (ZOFTRAN); all for unspecified indications from anaphylactic reaction, severe chest tightness, shortness of breath, throat soreness, hoarse voice, and mouth swelling; all reported as life threatening. The events led the reactions 45 minutes after she took premedications for a dilatation and curettage procedure. The premedications included ibuprofen, hydrocodone bitartrate/pars clinical outcomes of the anaphylactic reaction, severe chest tightness, shortness of breath, throat soreness, hoarse voice, and mouth swelling were recovered on unk including ibuprofen, hydrocodone bitartrate/paracetamol, ondansetron for a dilatation and curettage procedure and 6 days post vaccination with BNT162B2, for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appr
COVID19 VACCINE (COVID19)	No Death	30-39 years	930777-1	Patient presented to the emergency department with sensory loss and loss of reflexes, evaluated by neurology and diagnosed with Guillain- Barre Syndrome thought
COVID19 VACCINE (COVID19)	No Death	30-39 years	931772-1	Anaphylaxis
COVID19 VACCINE (COVID19)	No Death	30-39 years	931851-1	I am currently breastfeeding my 5-month-old son. I received my first vaccine on 12/28/2020 and directly breastfed within 4 hours of receiving the vaccine. Two days He also had a maculopapular rash on his torso. EMS was called. He was observed in the emergency department for a few hours then recovered well without interventi
COVID19 VACCINE (COVID19)	No Death	30-39 years	932366-1	The patient presented with left eye peripheral visual loss, left upper and lower extremity and facial numbness sensation and weakness. This started 1 hour after rece
COVID19 VACCINE (COVID19)	No Death	30-39 years	935478-1	right after vaccine was given i got a head to toe hot flush. i thought it was just anxiety. within 2 minutes i had explosive diarrhea, felt dizzy. looked in the mirror and and epi taken to local er.
COVID19 VACCINE (COVID19)	No Death	30-39 years	935939-1	Metallic taste in the back of throat between 15-20 minutes post vaccination, noticeable swallowing and throat irritation at 20-25 minutes post vaccination, tongue an retractions, coughing, speaking 1-2 word sentences, with tachycardia and tachypnea. Treated with IM epinephrine, IV solumedrol and IV Benadryl and IV Benadryl w

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	No Death	30-39 years	936011-1	Anaphylaxis within 5 minutes of dose given. Tachycardia 130-140s, hot body temperature, trouble swallowing, lightheaded/dizzy, ekg changes, feeling like I was goin
COVID19 VACCINE (COVID19)	No Death	30-39 years	936026-1	Trouble swallowing, tingling around the mouth within 5 minutes of vaccine administration. IV started with 25mg Benadryl within 5 minutes of symptom onset. Transf
COVID19 VACCINE (COVID19)	No Death	30-39 years	936618-1	Soreness at injection site started at 1600 Body aches, headache, and low grade fever woke me up around 0100
COVID19 VACCINE (COVID19)	No Death	30-39 years	938820-1	Within 3 minutes of receiving vaccine felt flush and throat swelling, responded to Epi Pen and Benadryl p.o. EMS took him to ED where he remained several hours rec
COVID19 VACCINE (COVID19)	No Death	30-39 years	938868-1	-0715 vaccine administered. -0735 started to feel dizzy/off and right side of tongue felt like it was mildly swelling and itchy. -0735 asked to have blood pressure take
COVID19 VACCINE (COVID19)	No Death	30-39 years	939190-1	Started to feel lightheaded, weak, faint like I was going to pass out, heart rate increased, confusion, trouble speaking, brought to the ED, throat started to swell and
COVID19 VACCINE (COVID19)	No Death	30-39 years	939194-1	within 1 hr post-vaccine on 1/7 I had a mild headache that resolved with Tylenol. At about 12 hours post-vaccine I developed nausea, fever (100.4) and chills and se
COVID19 VACCINE (COVID19)	No Death	30-39 years	943359-1	Unprovoked seizure (clonic tonic) 13 days later, requiring hospitalization and testing
COVID19 VACCINE (COVID19)	No Death	30-39 years	944283-1	Saturday had. Sweating. Chills. Headache. Nausea.; Saturday had. Sweating. Chills. Headache. Nausea.; Saturday had. Sweating. Chills. Headache. Nausea.; Saturd
COVID19 VACCINE (COVID19)	No Death	30-39 years	947019-1	Patient developed a hoarsenss of voice and tightness of throat and flushed feeling immediately following vaccination. Epi Pen was administered and 50 mg Benadryl (
COVID19 VACCINE (COVID19)	No Death	30-39 years	950387-1	Swollen tongue and sob with decreased swallow
COVID19 VACCINE (COVID19)	No Death	30-39 years	950640-1	Day 1-3 after the dose flu like symptoms Day 3-7 swelling in lymph nodes on left side of body (baseball sized) took ibuprofen and Tylenol Day 8 angioedema, anaphy
COVID19 VACCINE (COVID19)	No Death	30-39 years	951560-1	Severe Right sided chest pain, right sided muscle spasms and difficulty breathing two weeks after vaccine was administered Diagnosis of bilateral pulmonary embolis
COVID19 VACCINE (COVID19)	No Death	30-39 years	951572-1	Developed dizziness and nausea within 90minutes of vaccine; then developed tingling, and flushing of my skin. Then rapid heart rate and chest tightness by 2.5hrs p
COVID19 VACCINE (COVID19)	No Death	30-39 years	952478-1	"Pt is 33 yo female with h/o multiple drug allergies , including allergy to benadryl. She has received first dose of COVID vaccine made by Phfizer at 3:45. She reports
COVID19 VACCINE (COVID19)	No Death	30-39 years	952707-1	Anaphylaxis (urticaria, tongue swelling, subjective difficulty breathing) starting approx. 24hrs first moderna dose. No prior episodes of anaphylaxis/allergic rxn. Treat
COVID19 VACCINE (COVID19)	No Death	30-39 years	953888-1	PVCs with compensatory pauses, postural orthostatic hypotension associated with chest tightness, shortness of breath, dizziness and blurry vision
COVID19 VACCINE (COVID19)	No Death	30-39 years	955374-1	"Felt tachycardia immediately, thought she was anxious. After 35-45 minutes she felt like she was having a hard time swallowing which progressed to tongue swelling
COVID19 VACCINE (COVID19)	No Death	30-39 years	955966-1	Anaphylaxis less than two hours after vaccination. I had no symptoms immediately after vaccine however did develop symptoms within one minute of completing a r
COVID19 VACCINE (COVID19)	No Death	30-39 years	956527-1	"Patient called this nurse stating she had an allergic reaction to COVID vaccination given on Friday 1/15/21. States she felt fine for the 15 minutes post immunization
COVID19 VACCINE (COVID19)	No Death	30-39 years	959400-1	12 hours after vaccination began experiencing fever, chills, body aches, slight head ache - lasted around 12 hours Had slight pain above eye prior to getting vaccinat
COVID19 VACCINE (COVID19)	No Death	30-39 years	959401-1	I was having episodes of dyspnea and non productive cough starting from 1/1/2021. On 1/13/2021 I experienced severe dyspnea and had loss of consciousness for !
COVID19 VACCINE (COVID19)	No Death	30-39 years	959996-1	Began itching and wheezing approximately 5 minutes after the injection. Gave first epi dose. Throat started tightening, and nausea presented. Gave second epi 5 min
COVID19 VACCINE (COVID19)	No Death	40-49 years	903132-1	40 year female received Pfizer-BioNTech COVID-19 Vaccine today Patient reported prior h/o severe allergic reaction to influenza vaccine with eggs preservative. She
COVID19 VACCINE (COVID19)	No Death	40-49 years	904260-1	12 minutes after injection, I felt flushed and dizzy. They hooked me up to a vital sign monitor which showed my heart increasing to 133 bpm, SaO2 98%. A manual t
COVID19 VACCINE (COVID19)	No Death	40-49 years	904436-1	The patient was well prior to vaccination (12/17). The day after, he felt mildly unwell and had a low grade fever. The following day, he had a fever of 102. He receive
COVID19 VACCINE (COVID19)	No Death	40-49 years	904498-1	Ventricular tachycardia. Defibrillator paced me out of rhythm. I have had my ICD for 3 years. This is the first abnormal rhythm I have had where it delivered a therap
COVID19 VACCINE (COVID19)	No Death	40-49 years	907022-1	Anaphylaxis/Angioedema Patient was given EpiPen 0.3 mg IM; Methylprednisolone 125 mg once; Diphenhydramine 25 mg IV push once; Famotidine 20 mg IV push (
COVID19 VACCINE (COVID19)	No Death	40-49 years	907042-1	Received vaccine around 10:40 am, by 10:50 started to feel dizzy, eyes felt full, dry, tingly, swollen, voice became raspy and throat itched. Received 25 mg Benadryl
COVID19 VACCINE (COVID19)	No Death	40-49 years	907075-1	Patient experienced bronchospasm with coughing and tongue itching approximately 10 minutes after the injection.
COVID19 VACCINE (COVID19)	No Death	40-49 years	907101-1	patient felt slightly nauseated at 10 minutes after injection, then developed slight sweating; BP 160/81; 83 at 5:45 and then 158/87 with HR 82 at 5: 52 pm. Her lur
COVID19 VACCINE (COVID19)	No Death	40-49 years	908003-1	ANAPHLACTIC REACTION, SOB, CHEST PRESSURE, TIGHTNESS IN THROAT, TACHYCARDIA
COVID19 VACCINE (COVID19)	No Death	40-49 years	908157-1	Initially started with nausea around min 5, shortly after then itching on arms. Around min 15 ?lump? sensation in throat. Around min 20 swelling of tongue, worsenir
COVID19 VACCINE (COVID19)	No Death	40-49 years	908973-1	15 min after receiving Covid 19 vaccine patient started to feel like her heart was racing / felt faint. Burning feeling in upper thigh and pelvic area. BP 180/100 HR 13!
COVID19 VACCINE (COVID19)	No Death	40-49 years	909146-1	listed before
COVID19 VACCINE (COVID19)	No Death	40-49 years	909614-1	Fever, muscle aches, hypertension, rapid heart heart
COVID19 VACCINE (COVID19)	No Death	40-49 years	909635-1	Palpitations, shortness of breath, chest tightness, presyncope, which led to New onset atrial fibrillation with rapid ventricular response and required synchronized car
COVID19 VACCINE (COVID19)	No Death	40-49 years	909720-1	12/23- began to experience intermittent right lower quadrant pain in the morning, fever of 100.4 F in the evening which subsided with ibuprofen. 12/24- no fever no
COVID19 VACCINE (COVID19)	No Death	40-49 years	910035-1	right after the vaccine she felt light headed felt better in observation after about 7 minutes employee c/o heart racing,Chest pressure, feeling light headed, throat scr
COVID19 VACCINE (COVID19)	No Death	40-49 years	911943-1	Adverse reaction post Covid vaccine. Waited for 20 min post vaccine. Experienced S/S Heart palpitations, shortness of breath, tingling in extremities, diaphoretic afte
COVID19 VACCINE (COVID19)	No Death	40-49 years	913061-1	10 MINUTES FOLLOWING VACCINE - SOB, COUGH, TIGHTNESS IN CHEST, THRAOT SWELLING, DIFFICULTY SWALLOWING, LIGHT HEADEDNESS, AND ELEVATED HE AT HOSPITAL IV STEROID ADMINISTERED. SYMPTOMS SUBSIDED WITH SECOND DOSE OF EPINEPHRINE, HOWEVER RETURNED 3 HOURS LATER AND ANOTHER DO
COVID19 VACCINE (COVID19)	No Death	40-49 years	913239-1	Pt. began to feel weak with palpitations about 8-10 minutes after vaccination, her pulse was extremely fast, she then began to complain of lower mid-esophageal bu
COVID19 VACCINE (COVID19)	No Death	40-49 years	913854-1	anxiety, tachycardia, flushing, diaphoresis, HTN, SOB
COVID19 VACCINE (COVID19)	No Death	40-49 years	914309-1	Within 3 minutes of vaccination patient became fully flushed head and neck, with rapid heart rate (112), and feeling like her airways were tightening.. Nurse immedi
COVID19 VACCINE (COVID19)	No Death	40-49 years	914730-1	Near syncopal episode approximately 2.5 hours after vaccination. Sudden onset of dizziness, nausea, and diaphoresis. Was admitted to ED and observed overnight. F
COVID19 VACCINE (COVID19)	No Death	40-49 years	914821-1	Rash, Itching and swelling of left arm. Progressed to tachycardia in the 150's, hypertension 200/114. Tingling of lips, dizziness
COVID19 VACCINE (COVID19)	No Death	40-49 years	915765-1	Patient had an anaphylactic reaction to the vaccine the day after it was given and went to the nearest ER.

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	No Death	40-49 years	958755-1	Pt was 18 weeks pregnant at the time of the vaccine. Second pregnancy. Pt is a physician. Pregnancy was entirely normal up to that time. On 1/18/2021, she began well.
COVID19 VACCINE (COVID19)	No Death	40-49 years	958885-1	The patient was seen in my office on 1/19/21 with complaint of heavy vaginal bleeding. A CBC was obtained which revealed an H/H of 12.2/36.1 and a platelet count she has received platelet transfusions but her platelet count is still critically low. She is also receiving steroids and immunoglobulin and is under the care of MD (Hem
COVID19 VACCINE (COVID19)	No Death	40-49 years	959017-1	Patient got her 2nd dose of Pfizer covid vaccine on 1/8. On 1/11 she had intermittent chest pain that lasted a few days and started to notice small purpura rash on le
COVID19 VACCINE (COVID19)	No Death	40-49 years	959746-1	Started itching within (left arm) 15 minutes. They said I was fine and to go back to work. About an hour later, I started breaking out in hives and whole body itching short of breath and 10:30 they took me to ER - and gave me Cortisol shot. And IV fluids. And I was in ER for two hours. They wrote me a prescription for six days fo they left me. Oxygen was 96. My blood pressure was down to 140/95 - so it was down but still elevated. I still had facial swelling for 3 days. But after three or four d - prescribed me an EpiPen in case I have another bad reaction to anything.
COVID19 VACCINE (COVID19)	No Death	50-59 years	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze ar day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pr short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and
COVID19 VACCINE (COVID19)	No Death	50-59 years	905544-1	Pt expressed feeling tachycardic, jittery, shaky, site edema, shortness of breath and dizziness. Pt received epipen 0.3 mg IM injection x1 dose and benadryl PO, resp
COVID19 VACCINE (COVID19)	No Death	50-59 years	906988-1	PT WAS OBSERVED IN HOLDING AREA LEANING FORWARD IN HER CHAIR ABOUT 7 MINUTES AFTER RECEIVING THE VACINE. RN ASSESSED AND NOTED: AUDIBLE V WORKING DIAGNOSIS - ANAPHYLAXIS / STATUS ASTHMATICUS MEDS RECEIVED: SOLUMEDROL 125, DIPHENHYDRAMINE 50MG, FAMOTIDINE 20MG --ALL IV EPINE
COVID19 VACCINE (COVID19)	No Death	50-59 years	909130-1	Acute NSTEMI with symptom onset 4 days after vaccination
COVID19 VACCINE (COVID19)	No Death	50-59 years	912271-1	Subject received vaccination Wednesday Dec 16th in the afternoon. He became symptomatic (shortness of breath, low grade fever) the next day. Went to the Emerg
COVID19 VACCINE (COVID19)	No Death	50-59 years	912826-1	Itching, cough. Given benadryl 50mg and epinephrine 0.3 in vaccine clinic, and taken to ED for further tx.
COVID19 VACCINE (COVID19)	No Death	50-59 years	913238-1	Pt. developed tachycardia, hypertension and felt weak with decreased verbal responsiveness, alert but lethargic. She complained of dry throat, took a sip of water th
COVID19 VACCINE (COVID19)	No Death	50-59 years	914392-1	12/30 9:30 am developed angioedema. Swelling of face, lips, tight throat. Also had bright red rash over body trunk and arms. Both palms were red, hot and painful.
COVID19 VACCINE (COVID19)	No Death	50-59 years	914798-1	On Dec. 20, 2020 around 11:30 PM, 2 days after patient received her COVID-19 vaccination, she was found on the bathroom floor, obtunded, very pale, diaphoretic ambulance, she was noted with a sudden drop in heart rate about 19 beats/minute and have to be given Atropine IV Push, oxygen and was connected to transcutane Right Bundle Branch Block. She had serial ekgs, a chest x-ray, laboratory testing which included Troponin. Her first Troponin level came back elevated prompting her a total of 20 hours in the Telemetry unit with Cardiology consultation before being discharged home last . She was re-evaluated by the cardiologist yesterday which c
COVID19 VACCINE (COVID19)	No Death	50-59 years	916268-1	Shortly after receiving the vaccine (within 10 minutes) the patient's tongue swelled, facial redness, gasping for air. This resident was marked for a 30 minute observ Patient was monitored onsite at facility. Her husband came to pick her up and take her home. Tried to reach patient several hours after but was unable to at this time
COVID19 VACCINE (COVID19)	No Death	50-59 years	916790-1	Flushing, sweating, increased heart rate proceeded to feel difficulty swallowing and clearing my throat. I was taken to the ER. The symptoms progressed to feeling di
COVID19 VACCINE (COVID19)	No Death	50-59 years	919087-1	Acute Pericarditis. Patient was admitted from 12/27-12/28/2020 at hospital by cardiology team who strongly felt the acute pericarditis was due to the Pfizer Vaccine
COVID19 VACCINE (COVID19)	No Death	50-59 years	919546-1	thrombotic stroke -necessitating hospitalization; and craniotomy; required mechanical ventilator for 2 days. Patient now extubated, breathing on her own. Patient rer
COVID19 VACCINE (COVID19)	No Death	50-59 years	919629-1	20 minutes after receiving the vaccination the resident started to not feel well. She said she felt very far away and just kept repeating I don't feel well. She was diap breathing. At this time we decided it was best to administer Epipen x 1 dose. Immediately after she felt better. She was observed for another 30 minutes and then w
COVID19 VACCINE (COVID19)	No Death	50-59 years	920787-1	2 minutes after vaccine was administered, noticed swelling back of tongue, progressed to posterior 2/3 of tongue, tachycardia, elevated BP. Progressive angioedema administered. some improvement in symptoms. In 30mins, reoccurrence of angioedema and second epinephrine vaccine administered. Monitored for 2 hours without
COVID19 VACCINE (COVID19)	No Death	50-59 years	920994-1	PATIENT VACCINATED AROUND 9AM. SHE REPORTS SHE FELT WARM/FLUSHING, FAINT AND STOMACH SPASMS WITHIN ABOUT 4-5 MINS. SHE FELT BETTER AND G EPI PEN 0.3MG ADMINISTERED AND EMS ACTIVATED. SYMPTOMS REPORTED IMPROVED FOLLOWING EPI. EMS ARRIVED 10:05AM. PATIENT REPORTED RECEIVING : HX OF HTN, BP 120/60, NO SOB/ BREATHING DIFFICULTY. C/O SEVERE HEADACHE, LOW TEMP, FATIGUE, MUSCLE ACHES, SORE THROAT.
COVID19 VACCINE (COVID19)	No Death	50-59 years	923000-1	Severe right lower quadrant pain, anorexia over 12 hours. Went to the emergency department. Lab results showed elevated WBC and CT scan showed acute appendi
COVID19 VACCINE (COVID19)	No Death	50-59 years	923015-1	Rapid heart rate, shakiness, headache, rash, scratchy throat, raspy voice, dizziness, extreme weakness
COVID19 VACCINE (COVID19)	No Death	50-59 years	924050-1	anaphylaxis, dyspnea
COVID19 VACCINE (COVID19)	No Death	50-59 years	926787-1	Resident had the COVID vaccine 12/30/2020. 12/31/20, resident has been in bed all shift. Staff became concerned when resident was not easily aroused. Resident d vaccine. She gave orders for Benadryl 25mg IM x1 now and Tylenol 1000 mg now. NP also stated resident will not be getting the second dose of vaccine. Will continu Tonight resident is not easily aroused, lethargic, continues to have tremors and twitches, almost appearing as convulsions. When asked if she knows where she is or resident to ED. Resident currently refuses to go to the hospital. Will continue to monitor. BP 152/112, P 116, T 99.1, O2 87-91. Resident's O2 at 1205am was 80% or Resident turned back to previous position and writer called on call MD at approx. 1220am. MD returned call approx. 1235am with orders to send resident to ED. 911 to get through. An EMT did just call to clarify when vaccine was given, what symptoms have been present and when they started. She said she has everything she st reading of 60%. Resident did open her eyes a couple times during transfer from bed to stretcher and while stretcher was going outside but no responses from reside
COVID19 VACCINE (COVID19)	No Death	50-59 years	929418-1	Swelling of lips & tongue, tightening of throat. Quivering of arms & legs. Tightening of chest. Dizziness lightheaded.
COVID19 VACCINE (COVID19)	No Death	50-59 years	932367-1	Facial (cheek) numbness and swelling with slight face droop Swelling continued on 1/7/2021 On 1/8/2021, lip swelling and numbness and tongue numbness By 1/9/
COVID19 VACCINE (COVID19)	No Death	50-59 years	933369-1	Anaphylactic reaction
COVID19 VACCINE (COVID19)	No Death	50-59 years	934676-1	Chills Hip pain
COVID19 VACCINE (COVID19)	No Death	50-59 years	936612-1	anaphylaxis; throat tightening; throat tightening/tingling; throat tightening/tingling/soreness; dry wheezy cough a little dizziness; dizziness; tachycardia; Itching; ch COVID-19 VACCINE, lot number el3248), via an unspecified route of administration on 06Jan2021 11:00 at the first single dose at left arm for covid-19 immunisation included hydrocortisone, trazodone, levothyroxine sodium (LEVOTHROID), bupropion hydrochloride (WELLBUTRIN). The patient previously took erythromycin, morph chills and headache on 06Jan2021 11:15. Seriousness criteria reported as life threatening. Taken to ER had IV benadryl, solumedrol, pepcid for anaphylaxis. Placed c sars-cov-2 test: negative on 06Jan2021. The outcome of events was recovering. No other vaccine in four weeks; No covid prior vaccination.; Sender's Comments: A R foot, Low grade temp and chills and headache cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the susp as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this
COVID19 VACCINE (COVID19)	No Death	50-59 years	938443-1	immediate tingling of lips, followed by fullness of posterior oropharynx, hoarseness and pruritus
COVID19 VACCINE (COVID19)	No Death	50-59 years	941118-1	At first I has some injection site pain and soreness nothing too bad. But around 01:30 I awoke with a really high fever. My fever was 102.8 when I first woke up. I w fever broke. I was actually scare for my life. In March I actually caught coronavirus and developed anti bodies for Covid. I can only guess my body was fighting for it
COVID19 VACCINE (COVID19)	No Death	50-59 years	941522-1	I was short of breath and went to emergency room on 1/5/2021. I was diagnosed with bilateral pulmonary embolisms. I was Covid negative and had no other sympt
COVID19 VACCINE (COVID19)	No Death	50-59 years	944169-1	altered mental status, hypoxic, fever 39.3, agitated
COVID19 VACCINE (COVID19)	No Death	50-59 years	944270-1	He collapsed with left sided hemiparesis; Stroke; Rt basal ganglia hemorrhage w/ edema and mass effect.; Rt basal ganglia hemorrhage w/ edema and mass effect.; bnt162b2 (Pfizer BioNTech COVID vaccine), intramuscularly on 16Dec2020 at a single dose for COVID-19 immunization. Medical history included hypertension with r as a Pulm/critical care physician. He reported fever, myalgia, fatigue on 16Dec2020. Next day (17Dec2020), he took off from work due to his symptoms. The followin reporter had suspicion for stroke. He was transported to the Emergency Room (ER), head CT showed Rt basal ganglia hemorrhage w/ edema and mass effect. Labs r hypertension with reported med noncompliance in the last few months due to stress. Patient was transferred for further care. Full course was unknown but had rebel permanent damage. Treatment was received for adverse events. Results of tests and procedures for investigation of the patient: on 18Dec2020, Nasal Swab test: ne vaccination, the patient was not tested for COVID-19. Information on the lot/batch number has been requested.; Sender's Comments: Collapsed with left sided hemi events are unrelated to the vaccine use. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety e Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
COVID19 VACCINE (COVID19)	No Death	50-59 years	947648-1	Pt. with dizziness, then Afib with RVR, then massive cerebral hemorrhage Pt. non oriented & unable to give history - History provided by S.O and daughter
COVID19 VACCINE (COVID19)	No Death	50-59 years	947687-1	I had no side effects after my vaccine on 12/24/20 until 1/8/21. On Friday, 1/8/21 at 830pm I began with severe abdominal pain, low grade fever, nausea and loss o grade fever. I was promptly diagnosed with appendicitis and taken to the OR at approximately 2pm on the same day. In the OR my appendix was gangrenous, there for 2 days and was discharged on 1/13/21 at 9pm. I am continuing to recvoer at home on the same 2 antibiotics in oral form. I have a JP drain that is still in place. C
COVID19 VACCINE (COVID19)	No Death	50-59 years	948285-1	We (myself and 2 other pharmacists) were conducting a COVID-19 vaccine clinic. The patient is on staff at the clinic and came in for her 1st dose of the Pfizer/BioNTe back inside to ask us for help. I ran outside with an EpiPen and immediately noted her pulse of 158 on her watch and she appeared to be experiencing an anaphylact 12 minutes after vaccination, were HR 158, BP 155/105, and pulse ox 97%. Patient stated the Benadryl was working and her swelling was decreasing. The patient w agreed we should call 911. She decided she wanted to move inside and lie down. I escorted her with support to a bed. Her vitals then increased again to BP 152/95 i took over and I went back to the vaccination area. I learned later that the patient refused to go to the hospital and after more observation was eventually allowed to
COVID19 VACCINE (COVID19)	No Death	50-59 years	948471-1	5-6 HOURS AFTER VACCINATION. CONVULSIONS/SEIZURE, HIGH BLOOD PRESSURE, INCREASED HEART RATE,
COVID19 VACCINE (COVID19)	No Death	50-59 years	949941-1	"Per husband, was in usual state of health on the AM of 1/10/20, AOx3 able to perform all I/ADLs. At around 2:30pm that day was complaining of chills and generali to provide any additional hx regarding other sx. Initially presented to ED, where mental status had deteriorated to AOx0, unable to respond to verbal commands. Inil
COVID19 VACCINE (COVID19)	No Death	50-59 years	950111-1	anaphalactic shock reaction, epi injection by hospital emergency staff at vaccine site, emergency room admission . We were very lucky vaccine site was Hospital was
COVID19 VACCINE (COVID19)	No Death	50-59 years	950980-1	On January 14, 2021, I noticed generalized petechiae all over my body. I went to seek medical care and was found to have platelet count of 2. I was hospitalized for hospital getting treatment today.
COVID19 VACCINE (COVID19)	No Death	50-59 years	951799-1	The patient received her first Moderna COVID-19 vaccination on 12/29/2020. However the patient was diagnosed with a positive COVID-19 test on January 4, 2021. pain radiating to her back and right side. Initial work up ruled out cardiac etiologies. CTA chest demonstrated COVID-19 pneumonia. The patient complained of bilate accelerate. On the 13th, the patient was able to ambulate to and from the bathroom herself. Then on January 14 the patient required maximum assistance. Neurolog airway. She was emergently intubated for acute hypercapnic respiratory failure secondary to GBS. Neurology started GBS treatment with IVIG. Patient also develope
COVID19 VACCINE (COVID19)	No Death	50-59 years	952294-1	0900 IM Covid 19 vaccine 0905 Sore throat 0920 Dizzy episode followed by headache 0945 Stridor upon deep breath 1000 Facial tingling, top lip and eye swelling 10 Epinephrine 1055 Racemic Epi nebulizer treatment 1100 Facial and throat Swelling reducing, breathing easier, 1105 Breathing back to normal 1430 Discharged from
COVID19 VACCINE (COVID19)	No Death	50-59 years	952483-1	On 01/13/2021 at about 11pm I began having pain in both arms and across my chest. Also nausea and vomiting. At midnight I went to the Emergency room and wa
COVID19 VACCINE (COVID19)	No Death	50-59 years	954723-1	itching, hives, short of breath, numbness and tingling to lips with hives to bottom. headache.

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	No Death	50-59 years	955096-1	Acute liver injury requiring transplant evaluation and acute kidney injury
COVID19 VACCINE (COVID19)	No Death	50-59 years	955945-1	a couple hours after the vaccine, I experienced a bit of rapid heart rate, which resolved after a few minutes. The following day around 3 pm I began to have chills an husband drove me to the emergency department. I had a very high heart rate and high fever, I was admitted and in the hospital until Sunday afternoon. The diagnos
COVID19 VACCINE (COVID19)	No Death	50-59 years	958235-1	Pt found unresponsive at home, respiratory distress. Had reported nausea and vomiting for two days prior to admit which started 1/15. Acute metabolic encephalopat
COVID19 VACCINE (COVID19)	No Death	50-59 years	959549-1	1/4/21- Patient stated she had tenderness on the back of her left lower leg with redness then 1/8/21 started to have shortness of breath and made a doctor's appoint artery. Transferred to another acute care hospital for removal of thrombosis. Patient started on Eliquis and no intervention for removal of the thrombosis.
COVID19 VACCINE (COVID19)	No Death	60-64 years	904504-1	Throat closure (angioedema/anaphylaxis) requiring ambulance transport to Hospital emergency room and stay IV infusion of Benedryl, solumedrol, and Pepcid with e
COVID19 VACCINE (COVID19)	No Death	60-64 years	909577-1	Dizziness, dyspnea, neck swelling
COVID19 VACCINE (COVID19)	No Death	60-64 years	911462-1	she is better but still not good; not to be able to breath; sore right arm; This is a spontaneous report from a contactable nurse (patient herself). A 62-year-old femal that time, referring to her asthma) diabetes, high blood pressure, swelling, sciatica, blood cholesterol abnormal, rosacea, reflux, allergies, sinus congestion, shingles pseudoephephedrine, ascorbic acid, ergocalciferol, nicotinamide, retinol, riboflavin, thiamine hydrochloride (VITAMINS) and tramadol. The patient reported that she not t had a reaction to the COVID vaccine. It was the only thing she could think of that might have caused her not to be able to breathe this morning. As treatment for nol She planned to take the second dose of the COVID vaccine because she thought it was more important to be protected. She suspected that the vaccine was related t good was unknown.; Sender's Comments: Severe allergic reaction including anaphylaxis is the known risk factor; a possible causal association between administratic on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for appropriate.
COVID19 VACCINE (COVID19)	No Death	60-64 years	915813-1	Patient stated he stopped his blood pressure medications 3 days prior to vaccination due to a previous reaction to losartan, a medication he was no longer taking. Pa noticed tingling after dinner. Patient stated he took two benadryl with no relief. His tongue continued to swell and he took two additional benadryl at 22:00. Once he diphenhydramine 25mg IV, famotidine 40mg IV, dexamethasone 10mg IV at 0114, methylprednisolone 60mg q6hrs started at 0417, diphenhydramine 25mg q6hrs 1
COVID19 VACCINE (COVID19)	No Death	60-64 years	916414-1	approximately 30 minutes after receiving vaccination i began to develop tongue and lip swelling as well as difficulty swallowing and breathing , i then proceeded imm
COVID19 VACCINE (COVID19)	No Death	60-64 years	919593-1	Patient developed a septic knee (history of arthroplasty) need for immediate surgery, hospitalization and months to years of antibiotics in his future now.
COVID19 VACCINE (COVID19)	No Death	60-64 years	920628-1	6-7 hours after the vaccine she developed arm pain, fever and chills. About an hour later she started to have abdominal pain which worsened over the course of the evening of 1/3/2021.
COVID19 VACCINE (COVID19)	No Death	60-64 years	924078-1	"Client received vaccine at approximately 3:50pm, waited in observational area x30min. Left with husband, stated that she got a few miles down the road and startir flushed and anxious, she stated that she still felt tightness and that she had a history of anaphylaxis once before and had used an epi pen in the past. She had an ep encouraged to use epi pen. She administered epi pen to right thigh at approximately 4:45PM, 911 called. Within a few minutes, she stated she was feeling better, les
COVID19 VACCINE (COVID19)	No Death	60-64 years	929689-1	Fever to 103.7F, respiratory rate 36. Was transferred from facility to hospital. Since then has been found to have gram-negative rod bacteremia, although urinalysis v & blood cultures.
COVID19 VACCINE (COVID19)	No Death	60-64 years	931417-1	"Myocardial Infarction: patient began to complain of severe chest pain 3 hours after the vaccine was given .. Vaccine NDC # 59267-1000-1. 0.3 ml given by RN. Pati sore all upper body. Above message received at 0720 am (Jan 8) and the patient was called back at 0757 am (Jan 8): patient was told that many of the side effects. Room notes: seen by MD on Jan 9. Note at 0749: patient complained of chest pain on/off since received COVID vaccine on Jan 7. Pain was substernal and radiated to
COVID19 VACCINE (COVID19)	No Death	60-64 years	934156-1	01/06/21 at 6 pm, body aches, and chills 01/07/21 at 12am T102.2, SPO2 62% on room air. Was sent to ER and returned. 01/08/21 at SPO@ less then 60% on roor
COVID19 VACCINE (COVID19)	No Death	60-64 years	935090-1	SOB, Sleeplessness,
COVID19 VACCINE (COVID19)	No Death	60-64 years	941834-1	about 14 hours after vaccination I experienced what appeared to be a severe case of Cytokine storm. I had a moderate case of COVID in May 2020 and had positive runs of Vtach and complex ventricular dysrhythmia, low BP, profound weakness, head aches and joint and muscle pains (similar to the experienced COVID symptoms
COVID19 VACCINE (COVID19)	No Death	60-64 years	942237-1	She got the vaccine on Dec 23, and then on Jan 4 she had a mild stroke with left sided arm and face weakness. She did recover fully. She already has known CAD ar inflammation may have set up a metabolic predisposition that may have contributed to the event, which was 12 days later.
COVID19 VACCINE (COVID19)	No Death	60-64 years	948243-1	Observed in her room having seizure activity and unresponsive to stimuli. BP of 200/120, oxygen level dropped to 86%, HR was 116. She was transferred from Hosp
COVID19 VACCINE (COVID19)	No Death	60-64 years	949724-1	Pt had 3 vessel CABG on 1/14/21 after presenting to ED with chest pain on 1/9/21. Pt is critically ill following OR after cardiogenic shock, bleeding. Requiring inotrop
COVID19 VACCINE (COVID19)	No Death	60-64 years	950759-1	Pounding headache, heart racing to over 145 bps, chest burning and tightness and hard to breath. I was taken to the Emergency Room at Hospital immediately. Reac
COVID19 VACCINE (COVID19)	No Death	60-64 years	952677-1	DVT in right leg 4 days after injection, severe pain in thigh/calf, difficulty walking Placed on Xarelto 15mg 2X daily for 21 days and then 20mg daily for 9 days. Next l
COVID19 VACCINE (COVID19)	No Death	60-64 years	955968-1	Severe headaches, vomiting, dehydration, shortness of breath ... led to trip to Emergency Room at Hospital on 1/16/21 at 10:45 am; diagnosis for treatment was Di
COVID19 VACCINE (COVID19)	No Death	60-64 years	957282-1	Appendicitis
COVID19 VACCINE (COVID19)	No Death	60-64 years	958913-1	Resident became lethargic, general weakness outside baseline, unable to walk, bumbled speech. Elevated HR and Temp of 105.2F
COVID19 VACCINE (COVID19)	No Death	65+ years	908869-1	12/18/2020: COVID19 vaccine received. 12/19/2020: Patient noticed petechiae/bruising on arms, legs and face. Worsened over next 48 hours. 12/21/2020: Patient admission he received 80 mg of prednisone, 40 g of IV Ig and a unit of platelets. 12/23/2020: Continued hospitalization. Patient's platelets improved to 20,000 and l
COVID19 VACCINE (COVID19)	No Death	65+ years	909031-1	Patient presented with signs and symptoms of sepsis, developing over 12 to 24 hours 6 days after vaccination. was hypotensive and confused (beyond baseline)
COVID19 VACCINE (COVID19)	No Death	65+ years	909061-1	Reported sensation of tongue swelling during post-vaccination observation at 10 minutes. Epinephrine was refused and she was taken to ED for observation where st
COVID19 VACCINE (COVID19)	No Death	65+ years	912574-1	Rushed to ER. Has now been tubed and put into the ICU and has had full-cardiac arrest less than 24 hours after receiving the vaccine.
COVID19 VACCINE (COVID19)	No Death	65+ years	912602-1	Hospitalized 12/29, has now been tubed and put into the ICU
COVID19 VACCINE (COVID19)	No Death	65+ years	916497-1	Patient started having myalgia, chills, nausea on the next day of the vaccination. on 2nd day (12/29) patient had chest pressure which made her present to Hospital sparing of apex proving Takotsubo (stress induced) cardiomyopathy. Patient did not have any underlying emotional or physical stress going on in her life or family. Ti seems to be COVID-19 vaccine induced Takotsubo Cardiomyopathy
COVID19 VACCINE (COVID19)	No Death	65+ years	917784-1	Pt had vaccination at city site. Waitied 15 min after shot and was cleared to go. Reported to wife that he was very thirsty, so they stopped at a convenience store on CPR and defib, he had ROSC. Was taken to cath lab for intervention (stents) and is now in ICU.
COVID19 VACCINE (COVID19)	No Death	65+ years	919620-1	Decompensation and temp 103.6.
COVID19 VACCINE (COVID19)	No Death	65+ years	924201-1	Patient tolerated the vaccine well with no apparent side effects. Ten days later awoke 12:30 AM with severe chest and upper back pain, presented to Med Center whe
COVID19 VACCINE (COVID19)	No Death	65+ years	924657-1	5 minutes after injection, my feet and palms itched and I was lightheaded but I tried to shake it off and it faded over the next 10 minutes. I did report it and stayed different parts of my body and weak. Sat up and my face was getting itchier, lips started to swell, tongue started to swell and itch, throat felt like someone was stran my life. have had hives though in the past. If I would have had an epi pen I would have used it (never have had an epi pen) I was frightened but the benadryl worke swallowing my night time meds like my throat was swollen. Took 2 more benadryls, today I am weak and nauseated and ate very little and feel like my face is still re with a lot of covid patients- I onlu hopr this one shot will protect me enough because it is clear to me that i cannot take this vaccine again.
COVID19 VACCINE (COVID19)	No Death	65+ years	924658-1	Severe Hypotension, Redness, Warmth and sensitivity all over skin surfaces, lack of responsiveness, low oxygen saturation.
COVID19 VACCINE (COVID19)	No Death	65+ years	928378-1	Congestion Shortness of breath Tachycardia Transferred out 911. Per hospital, patient had a myocardial infarction, is unresponsive, and on hospice services.
COVID19 VACCINE (COVID19)	No Death	65+ years	928461-1	Anaphylactic reaction, Severe edema and raised red rash entire body, Severe itching ,Soft tissue edema of throat. Swelling of, eyes, lips, face. Multiple trips to ER, tr
COVID19 VACCINE (COVID19)	No Death	65+ years	930611-1	Developed hypercapnic respiratory failure, CHF exacerbation - readmitted to Hospital. In ICU with BIPAP
COVID19 VACCINE (COVID19)	No Death	65+ years	930894-1	Low grade Fever, headache needing admission Intracranial hemorrhage with hypertension Medical management for hypertensive emergency Received surgical evacu
COVID19 VACCINE (COVID19)	No Death	65+ years	932145-1	Patient came into the emergency department on 1/8/21 with an acute ischemic stroke with complete occlusion of her left MCA. She had acute and complete flaccid p morning at 10:31am.
COVID19 VACCINE (COVID19)	No Death	65+ years	932623-1	Acute ischemic stroke, basilar occlusion
COVID19 VACCINE (COVID19)	No Death	65+ years	934745-1	Resident had seizure like activity followed by a vagel response with large bowel movement. Resident then began to show signs of blood clot to left lower extremity. N low oxygen levels. Resident not responding to stimuli.
COVID19 VACCINE (COVID19)	No Death	65+ years	940813-1	she was dying as her blood pressure dropped to 70/40 and to come for a last visit; This is a spontaneous report from a contactable consumer. A 100-year-old female Dec2020, urinary tract infection (UTI), dehydration and Covid sickness (vomiting) (was treated earlier in month for UTI and dehydration from the Covid sickness (vor health, with normal vitals and oxygen levels, the patient was given a vaccination on 02Jan2021. In the early evening the patient's blood pressure dropped to 70/40 a up, ate breakfast, watched TV, got IVs and oxygen and her vitals improved significantly. Lab tests and procedures included blood pressure: 70/40 on 02Jan2021, oxy COVID-19 vaccine was administered: Nursing Home/Senior Living Facility. If the patient received any other vaccines within 4 weeks prior to the COVID vaccine: No. I event). Serious: Yes. Seriousness criteria-Results in death: No. Seriousness criteria-Life threatening: Yes. Seriousness criteria-Caused/prolonged hospitalization: No.
COVID19 VACCINE (COVID19)	No Death	65+ years	941401-1	Patient is a 99yr old female who got a covid vaccine in the afternoon of 1/10/21 and woke up in the morning of 1/11/21 with altered mental status, weakness, and d appropriately for both conditions and discharged to a skilled nursing facility on 1/13/21.
COVID19 VACCINE (COVID19)	No Death	65+ years	943741-1	Patient reports no symptoms until 1/8/21 at which time a rash developed along with fatigue and fevers. Patient was seen in ED 1/8 and 1/11/21. Was admitted 1/11,
COVID19 VACCINE (COVID19)	No Death	65+ years	944219-1	On 1/12/20 resident woke up and was not able to stand in the E-Z stand. E-Z lift was needed. In addition he needed assistance with eating. At that time VS were sta B/P was elevated compared to previous recordings earlier in the day. Family did not want him sent to the hospital and asked for comfort cares. Hospice referral obtai
COVID19 VACCINE (COVID19)	No Death	65+ years	944663-1	Resident had been monitored and had shown no signs or symptoms of any kind until 2 pm on 1/14/2021. Resident was found in the floor of her room. She had fallen
COVID19 VACCINE (COVID19)	No Death	65+ years	949967-1	Throbbing head ache, difficulty breathing, lips numbness, chest discomfort, upper back, lower legs, fingers tingling/numbness, high blood pressure 148/83, underarm
COVID19 VACCINE (COVID19)	No Death	65+ years	950787-1	Patient had slow progression of kidney disease but since vaccine had unexpected acute kidney failure. He had to have dialysis and may need biopsy of kidney to conf
COVID19 VACCINE (COVID19)	No Death	65+ years	952235-1	nausea and vomiting possible cause of diabetic ketoacidosis and svt

Vaccine Type	Month Died	Age	VAERS ID	
COVID19 VACCINE (COVID19)	No Death	65+ years	953333-1	patient began with vomiting and diarrhea the day after administration, leading to bowel and urine incontinence. patient was hospitalized on 01/16/20 with sepsis. no
COVID19 VACCINE (COVID19)	No Death	65+ years	953404-1	Severe rash. Platelets drop to almost needing transfusion
COVID19 VACCINE (COVID19)	No Death	65+ years	955478-1	Systemic: Anaphylaxis-Severe; symptoms lasted 1 day
COVID19 VACCINE (COVID19)	No Death	65+ years	956578-1	At approximately 4pm on Jan 11, 2021, I began to have hard chills and fever that reached 104.9. I was admitted to ICU at the Hospital. My blood pressure dropped 1
COVID19 VACCINE (COVID19)	No Death	65+ years	956597-1	Pulmonary Edema, fever, nausea, vomiting
COVID19 VACCINE (COVID19)	No Death	65+ years	957091-1	COVID-19 Vaccine
COVID19 VACCINE (COVID19)	No Death	65+ years	964622-1	Narrative:
COVID19 VACCINE (COVID19)	No Death	Unknown	951992-1	anaphylactic reaction/anaphylaxis; This is a spontaneous report from a Pfizer Sponsored Program from a contactable pharmacist. A female patient of an unspecified i deltoid, side unknown) to prevent from getting COVID. The patient's medical history and concomitant medications were not reported. The patient experienced anaph reaction/anaphylaxis, she went down, they gave her an Epinephrine, she didn't respond to the first dose, a second dose was given in the arm where the vaccine was went away on Saturday, the patient was worried about it coming back, thus why she asked about Epinephrine pen, the patient was taken to the hospital, and given E had she not been treated. Reporter seriousness for anaphylaxis is life threatening. The outcome of event was recovered on 09Jan2021. Relatedness of bnt162b2 to r considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
DIPHTHERIA AND TETANUS TOXOIDS AND ACELLULAR PERTUSSIS VACCINE + HEPATITIS B + INACTIVATED POLIOVIRUS VACCINE (DTAPHEPBIP)	Dec., 2020	< 6 months	901446-1	He was found unresponsive 2 days later in pack-and -play. UNK if there were other symptoms.
DIPHTHERIA AND TETANUS TOXOIDS AND ACELLULAR PERTUSSIS VACCINE + INACTIVATED POLIOVIRUS VACCINE + HAEMOPHILUS B CONJUGATE VACCINE (DTAPIPVHIB)	Dec., 2020	< 6 months	903039-1	Cardiac Arrest/Respiratory Failure Severe global HIE brain injury Aspiration Pneumonia R/O Vaccine Encephalopathy per Pediatric Neurologist
DIPHTHERIA AND TETANUS TOXOIDS AND ACELLULAR PERTUSSIS VACCINE + INACTIVATED POLIOVIRUS VACCINE + HAEMOPHILUS B CONJUGATE VACCINE (DTAPIPVHIB)	Dec., 2020	6-11 months	906303-1	unknown if adverse effect, parents found baby unresponsive and blue and called 911 and CPR started and baby expired unknown cause
HAEMOPHILUS B CONJUGATE VACCINE (HIBV)	Dec., 2020	< 6 months	901446-1	He was found unresponsive 2 days later in pack-and -play. UNK if there were other symptoms.
HEPATITIS A (HEPA)	Dec., 2020	1-2 years	942246-1	On 12/20/2020, dad of patient called our office after hours. Nurse triage line took the call. Dad's reported that pt had a fever of 100.6 F (max temp) and hard stools fever had lifted, but pt vomited a total of 5 times since the night before, with the last episode at 7:45 am on 12/21/2020. Pt had adequate fluid intake and urine outq and they were at the emergency department. Dad disconnected call before speaking with the MA. The MA attempted to call dad back, but there was no answer. A me presented to the emergency department via EMS Code 3 in cardiac arrest. Unknown downtime prior to the initiation of chest compressions. Pt was staying with gran Child remained unresponsive and was taken by private vehicle to outside Urgent Care where pt was found to be apneic and in asystole. An AED was applied, no shoc was approximately 15-20 minutes. Presenting rhythm was asystole. No change in rhythm upon transport and arrival. Immediately upon arrival the pediatric transpor initiated. Serial doses of epinephrine were administered every 4 minutes throughout the resuscitation. The child also received several boluses of IV bicarb. Online cor the ED location in anticipation of possible ROSC and need for emergent transport to PICU. It was agreed by ED physician and PICU attending that transportation wou x-ray did demonstrate some degree of right mainstem intubation, after which the tube was pulled back approx 2cm and subsequent x-ray showed the ETT tip in gooc pulses or other evidence of return of circulation throughout the resuscitation. Capillary blood glucose was initially undetectable. The child received serial boluses of D efforts were unsuccessful, making it impossible to obtain any labs throughout the course of the resuscitation. Attempts to obtain even capillary blood samples via he during the last 5 pulse checks of the resuscitation, demonstrating cardiac standstill. Despite the efforts and interventions mentioned, ROSC was never obtained and t and discussed case at 19:11(pm). At 19:49(pm) Medical Examiner was interviewing grandparents along with 2 County Detectives. The medical examiner took custod why pt passed.
HEPATITIS B VACCINE (HEP)	Dec., 2020	6-11 months	906303-1	unknown if adverse effect, parents found baby unresponsive and blue and called 911 and CPR started and baby expired unknown cause
HEPATITIS B VACCINE (HEP)	No Death	6-11 months	904667-1	"anaphylactic reaction; Information has been received from a physical assistant who was also the patient's mother referring to a 9 months old (also reported as 10 m hepatitis B virus vaccine rHBsAg (yeast) (ENGERIX-B) (reported as ""Emgrix B"")) and an unknown non-company hepatitis B vaccine (the patient did not have reacti intramuscular; lot number and expiration date were not provided; reported as the third dose in series of hepatitis B vaccine; therapy type was not specified) for prev was given an epinephrine hydrochloride (EPIPEN) by the reporter which they had at home due to the patient having multiple allergies. The patient was then taken to (also reported as after 5 days of rash), the patient was fully recovered. The reporter stated that this was the only hepatitis b vaccine (recombinant)(RECOMBIVAX HE reported. Upon internal review, anaphylactic reaction was determined to be medically significant. According to the reporter, the event was considered serious becaus
INFLUENZA VIRUS VACCINE, QUADRIVALENT (INJECTED) (FLU4(SEASONAL))	Dec., 2020	6-11 months	906303-1	unknown if adverse effect, parents found baby unresponsive and blue and called 911 and CPR started and baby expired unknown cause
INFLUENZA VIRUS VACCINE, QUADRIVALENT (INJECTED) (FLU4(SEASONAL))	Dec., 2020	1-2 years	942246-1	On 12/20/2020, dad of patient called our office after hours. Nurse triage line took the call. Dad's reported that pt had a fever of 100.6 F (max temp) and hard stools fever had lifted, but pt vomited a total of 5 times since the night before, with the last episode at 7:45 am on 12/21/2020. Pt had adequate fluid intake and urine outq and they were at the emergency department. Dad disconnected call before speaking with the MA. The MA attempted to call dad back, but there was no answer. A me presented to the emergency department via EMS Code 3 in cardiac arrest. Unknown downtime prior to the initiation of chest compressions. Pt was staying with gran Child remained unresponsive and was taken by private vehicle to outside Urgent Care where pt was found to be apneic and in asystole. An AED was applied, no shoc was approximately 15-20 minutes. Presenting rhythm was asystole. No change in rhythm upon transport and arrival. Immediately upon arrival the pediatric transpor initiated. Serial doses of epinephrine were administered every 4 minutes throughout the resuscitation. The child also received several boluses of IV bicarb. Online cor the ED location in anticipation of possible ROSC and need for emergent transport to PICU. It was agreed by ED physician and PICU attending that transportation wou x-ray did demonstrate some degree of right mainstem intubation, after which the tube was pulled back approx 2cm and subsequent x-ray showed the ETT tip in gooc pulses or other evidence of return of circulation throughout the resuscitation. Capillary blood glucose was initially undetectable. The child received serial boluses of D efforts were unsuccessful, making it impossible to obtain any labs throughout the course of the resuscitation. Attempts to obtain even capillary blood samples via he during the last 5 pulse checks of the resuscitation, demonstrating cardiac standstill. Despite the efforts and interventions mentioned, ROSC was never obtained and t and discussed case at 19:11(pm). At 19:49(pm) Medical Examiner was interviewing grandparents along with 2 County Detectives. The medical examiner took custod why pt passed.
INFLUENZA VIRUS VACCINE, QUADRIVALENT (INJECTED) (FLU4(SEASONAL))	Dec., 2020	50-59 years	908105-1	pt experienced chill, fever and tiredness. on 12/22, pt's family reported pt passed away. not certain about the relationship between her death and the flu shot but jus
INFLUENZA VIRUS VACCINE, QUADRIVALENT (INJECTED) (FLU4(SEASONAL))	No Death	65+ years	902377-1	WOKE UP AT 1230AM AND FELT AS THOUGH MY THROAT WAS SWELLING UP. BOTHS ARMS SWOLLEN. WENT RIGHT TO LOCAL ER.
MEASLES, MUMPS AND RUBELLA VIRUS VACCINE, LIVE (MMR)	Dec., 2020	1-2 years	942246-1	On 12/20/2020, dad of patient called our office after hours. Nurse triage line took the call. Dad's reported that pt had a fever of 100.6 F (max temp) and hard stools fever had lifted, but pt vomited a total of 5 times since the night before, with the last episode at 7:45 am on 12/21/2020. Pt had adequate fluid intake and urine outq and they were at the emergency department. Dad disconnected call before speaking with the MA. The MA attempted to call dad back, but there was no answer. A me presented to the emergency department via EMS Code 3 in cardiac arrest. Unknown downtime prior to the initiation of chest compressions. Pt was staying with gran Child remained unresponsive and was taken by private vehicle to outside Urgent Care where pt was found to be apneic and in asystole. An AED was applied, no shoc was approximately 15-20 minutes. Presenting rhythm was asystole. No change in rhythm upon transport and arrival. Immediately upon arrival the pediatric transpor initiated. Serial doses of epinephrine were administered every 4 minutes throughout the resuscitation. The child also received several boluses of IV bicarb. Online cor the ED location in anticipation of possible ROSC and need for emergent transport to PICU. It was agreed by ED physician and PICU attending that transportation wou x-ray did demonstrate some degree of right mainstem intubation, after which the tube was pulled back approx 2cm and subsequent x-ray showed the ETT tip in gooc pulses or other evidence of return of circulation throughout the resuscitation. Capillary blood glucose was initially undetectable. The child received serial boluses of D efforts were unsuccessful, making it impossible to obtain any labs throughout the course of the resuscitation. Attempts to obtain even capillary blood samples via he during the last 5 pulse checks of the resuscitation, demonstrating cardiac standstill. Despite the efforts and interventions mentioned, ROSC was never obtained and t and discussed case at 19:11(pm). At 19:49(pm) Medical Examiner was interviewing grandparents along with 2 County Detectives. The medical examiner took custod why pt passed.
PNEUMOCOCCAL, 13-VALENT VACCINE (PREVNAR) (PNC13)	Dec., 2020	< 6 months	901446-1	He was found unresponsive 2 days later in pack-and -play. UNK if there were other symptoms.

Vaccine Type	Month Died	Age	VAERS ID	
PNEUMOCOCCAL, 13-VALENT VACCINE (PREVNAR) (PNC13)	Dec., 2020	< 6 months	903039-1	Cardiac Arrest/Respiratory Failure Severe global HIE brain injury Aspiration Pneumonia R/O Vaccine Encephalopathy per Pediatric Neurologist
PNEUMOCOCCAL, 13-VALENT VACCINE (PREVNAR) (PNC13)	Dec., 2020	6-11 months	906303-1	unknown if adverse effect, parents found baby unresponsive and blue and called 911 and CPR started and baby expired unknown cause
PNEUMOCOCCAL, 13-VALENT VACCINE (PREVNAR) (PNC13)	No Death	65+ years	905750-1	Anaphylactic response, started approx 5 minutes after injection. Developed throat swelling initially, epipen given, then benadryl 50mg IM, then developed lip swelling
ROTAVIRUS VACCINE, LIVE, ORAL (RV1)	Dec., 2020	< 6 months	901446-1	He was found unresponsive 2 days later in pack-and-play. UNK if there were other symptoms.
ROTAVIRUS VACCINE, LIVE, ORAL (RV1)	Dec., 2020	< 6 months	903039-1	Cardiac Arrest/Respiratory Failure Severe global HIE brain injury Aspiration Pneumonia R/O Vaccine Encephalopathy per Pediatric Neurologist
VARIVAX-VARICELLA VIRUS LIVE (VARCEL)	Dec., 2020	1-2 years	942246-1	On 12/20/2020, dad of patient called our office after hours. Nurse triage line took the call. Dad's reported that pt had a fever of 100.6 F (max temp) and hard stools fever had lifted, but pt vomited a total of 5 times since the night before, with the last episode at 7:45 am on 12/21/2020. Pt had adequate fluid intake and urine out and they were at the emergency department. Dad disconnected call before speaking with the MA. The MA attempted to call dad back, but there was no answer. A me presented to the emergency department via EMS Code 3 in cardiac arrest. Unknown downtime prior to the initiation of chest compressions. Pt was staying with grand Child remained unresponsive and was taken by private vehicle to outside Urgent Care where pt was found to be apneic and in asystole. An AED was applied, no shock was approximately 15-20 minutes. Presenting rhythm was asystole. No change in rhythm upon transport and arrival. Immediately upon arrival the pediatric transport initiated. Serial doses of epinephrine were administered every 4 minutes throughout the resuscitation. The child also received several boluses of IV bicarb. Online cor the ED location in anticipation of possible ROSC and need for emergent transport to PICU. It was agreed by ED physician and PICU attending that transportation would x-ray did demonstrate some degree of right mainstem intubation, after which the tube was pulled back approx 2cm and subsequent x-ray showed the ETT tip in good pulses or other evidence of return of circulation throughout the resuscitation. Capillary blood glucose was initially undetectable. The child received serial boluses of D efforts were unsuccessful, making it impossible to obtain any labs throughout the course of the resuscitation. Attempts to obtain even capillary blood samples via he during the last 5 pulse checks of the resuscitation, demonstrating cardiac standstill. Despite the efforts and interventions mentioned, ROSC was never obtained and t and discussed case at 19:11(pm). At 19:49(pm) Medical Examiner was interviewing grandparents along with 2 County Detectives. The medical examiner took custody why pt passed.
UNKNOWN VACCINES (UNK)	Jan., 2021	40-49 years	945642-1	COVID-19 mRNA/Pfizer-BioNTech vaccine After 1st dose- arm soreness, nausea, sleepiness and headache for 24 hours After 2nd dose- fever 101.0 oral, chills, heada
UNKNOWN VACCINES (UNK)	Jan., 2021	65+ years	944385-1	no reported adverse events, signs, symptoms. The individual was witnessed unresponsive and died the day after the vaccine, a full autopsy had been performed
UNKNOWN VACCINES (UNK)	Jan., 2021	65+ years	952228-1	No known symptoms
UNKNOWN VACCINES (UNK)	Jan., 2021	65+ years	956211-1	patient passed away on 1/12 at 1800 from a ruptured colonic mass.
UNKNOWN VACCINES (UNK)	Jan., 2021	Unknown	951960-1	Thrombocytopenia; Started to feel sick; Massive brain bleed; A spontaneous report was received from a physician, concerning a male patient, who was also a physi Concomitant product use was not provided by the reporter. On 29 Dec 2020, prior to the onset of the events, the patient received their first of two planned doses of 2021, the patient died from a massive brain bleed. On 05 Jan 2021, the physician reported the event details for the deceased patient and stated that the patient had events, started to feel sick and thrombocytopenia were unknown. The patient died on 04 Jan 2021. The cause of death was reported as a massive brain bleed. Plans experienced a serious, fatal, unexpected event of feeling sick, thrombocytopenia and cerebral hemorrhage. The event occurred 4 days after first dose of the unconfr event, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Massive brain bleed
UNKNOWN VACCINES (UNK)	Unknown Date	65+ years	961741-1	Theápatientáreceivedáhisávaccineáináthe.ámorningáofá1/20/2021,áwhileágettingáintoácarátoágoáseeáhisáapulmonologist,áaboutá2áhoursáafter,ácollapsed,áunrespo
UNKNOWN VACCINES (UNK)	No Death	18-29 years	909514-1	My experience with the vaccine has been the most brutal experience I can even imagine. I went into anaphylaxis shock. I had seizures. I feel confused. I feel weird. I have no clue where I am. The walls are moving, the lights on the ceiling are going round and round in the hospital.... there's no way a vaccine can make people fe anaphylaxis shock in the past you can't get the vaccine. I have had anaphylaxis shock to bee stings before. They knew this, I didn't. I still got the vaccine. And now
UNKNOWN VACCINES (UNK)	No Death	65+ years	919620-1	Decompensation and temp 103.6.

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

Notes:

Caveats:

VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information. \(/wonder/help/vaers.html#Suppress\)](#)

Data contains VAERS reports processed as of 01/22/2021. The VAERS data in WONDER are updated monthly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. [More information. \(/wonder/help/vaers.html#Reporting\)](#)

Values of Event Category field vary in their availability over time due to changes in the reporting form. The "Emergency Room/Office Visit" value was available only for events reported using the VAERS-1 form, active 07/01/1990 to 06/29/2017. The "Congenital Anomaly/Birth Defect", "Emergency Room", and "Office Visit" values are available only for events reported using the VAERS 2.0 form, active 06/30/2017 to present. These changes must be considered when evaluating count of events for these categories.

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation \(/wonder/help/vaers.html\)](#) for more information.

Query Date: Feb 2, 2021 4:59:45 PM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - Previous Friday, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on Feb 2, 2021 4:59:45 PM

Query Criteria:

Date Report Completed: Dec., 2020 to Jan., 2021
Date Report Received: Dec., 2020 to Jan., 2021
Date Vaccinated: Dec., 2020 to Jan., 2021
Event Category: Death; Life Threatening
State / Territory: The United States/Territories/Unknown
VAERS ID: All
Group By: Vaccine Type; Month Died; Age; VAERS ID
Show Totals: False
Show Zero Values: Disabled